

PARTICULARS TO APPEAR ON THE OUTER PACKAGE

NATURE/TYPE: Cardboard Box, Size 2

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's one dose easy wormer for dogs & puppies 500mg film coated tablets

2. STATEMENT OF ACTIVE SUBSTANCES

2 tablets each containing nitroscanate 500mg

3. PHARMACEUTICAL FORM

Tablet

4. PACKAGE SIZE

Johnson's One Dose Easy Wormer Size 2 contains 2 tablets each containing nitroscanate 500mg

5. TARGET SPECIES

Medium dogs from 6kg up to 20kg
One dose easy wormer for medium size dogs & puppies over 8 weeks of age from 6kg (13.2lbs) up to 20kg (44lbs)

6. INDICATION(S)

- One dose treatment
- Kills roundworms
- Kills tapeworms

Johnson's One Dose Easy Wormer is a broad-spectrum wormer for use in dogs. It is highly effective in a single dose against common canine nematodes (roundworms) and cestodes (tapeworms) in the UK: *Toxocara canis*, *Toxascaris leonina*, *Ancylostoma caninum*, *Uncinaria stenocephala*, *Taenia ovis*, *Taenia hydatigena*, *Taenia pisiformis* and *Dipylidium caninum*. At the recommended dosage, Johnson's One Dose Easy Wormer gives limited control of *Echinococcus granulosus*.

7. METHOD AND ROUTE(S) OF ADMINISTRATION

DIRECTIONS: The tablets should be given whole with about one-fifth of the daily food ration in the morning when the dog's stomach is empty. The remaining food should be given in the evening.

DOSAGE: IMPORTANT - Follow the instructions carefully. For routine treatment of medium size dogs and puppies over 6kg (13.2lbs), give one 500mg tablet per 10kg (22lbs) bodyweight, in accordance with the dosage table:

DOG'S WEIGHT		Number of tablets required
kg	lbs	
6.1 - 10	13.2 - 22	1
10.1 - 20	22.1 - 44	2
over 20kg (44lbs) – 2 packs required or use size 3 One Dose Easy Wormer		

For small dogs and puppies weighing less than 6.1kg (13.2lbs) use *Johnson's One Dose Easy Wormer (Size One)*.

NOTE: It is important to worm young puppies very regularly for roundworms at 2 weekly intervals from the age of 2 weeks. The use of a specific roundwormer is recommended at 2, 4 and 6 weeks of age. From 8 weeks of age, *Johnson's One Dose Easy Wormer* can be used at 4 weekly intervals up to the age of 6 months. Thereafter, it is advisable to treat adult dogs for both roundworms and tapeworms 4 times yearly. Nursing bitches should be treated at the same time as puppies.

8. **WITHDRAWAL PERIOD(S)**

9. **SPECIAL WARNING(S), IF NECESSARY**

CONTRA-INDICATIONS, WARNINGS, ETC:

These tablets are film coated and should be given whole, not broken or divided.

SIDE EFFECTS - when administered as recommended, these tablets are unlikely to cause vomiting. However, if vomiting or other adverse reaction should occur, do not repeat the dose.

If signs of disease persist or appear, consult your Veterinary Surgeon.

10. **EXPIRY DATE**

EXP. {day/month/year}

11. **SPECIAL STORAGE CONDITIONS**

Store in a dry place. Do not store above 25°C.

12. **SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY**

Dispose of empty packaging and any remaining tablets in the household refuse.
KEEP CONTAINER IN OUTER CARTON

13. **THE WORDS "FOR ANIMAL TREATMENT ONLY" AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE**

For animal treatment only.

AVM-GSL

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Store in a safe place out of reach of children.

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Marketing Authorisation Holder:

Elanco Europe Ltd
Form 2, Bartley Way
Bartley Wood Business Park
Hook
RG27 9XA

Distributor:

Johnson’s Veterinary Products Ltd
Reddicap Trading Estate, Sutton Coldfield, West Midlands B75 7DF UK
Tel: +44 (0)121 378 1684 e-mail: info@johnsons-vet.com

16. MARKETING AUTHORISATION NUMBER(S)

Vm 00879/4064

17. MANUFACTURER’S BATCH NUMBER

BN. {number}

PARTICULARS TO APPEAR ON THE OUTER PACKAGE

NATURE/TYPE: Cardboard Box, Size 3

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's one dose easy wormer for dogs & puppies 500mg film coated tablets

2. STATEMENT OF ACTIVE SUBSTANCES

4 tablets each containing nitroscanate 500mg

3. PHARMACEUTICAL FORM

Tablet

4. PACKAGE SIZE

Johnson's One Dose Easy Wormer Size 3 contains 4 tablets each containing nitroscanate 500mg

5. TARGET SPECIES

Larger dogs from 6kg up to 40kg
One dose easy wormer for larger breeds of dogs & puppies over 8 weeks of age from 6kg (13.2lbs) up to 40kg (88lbs)

6. INDICATION(S)

- One dose treatment
- Kills roundworms
- Kills tapeworms

Johnson's One Dose Easy Wormer is a broad-spectrum wormer for use in dogs. It is highly effective in a single dose against common canine nematodes (roundworms) and cestodes (tapeworms) in the UK: *Toxocara canis*, *Toxascaris leonina*, *Ancylostoma caninum*, *Uncinaria stenocephala*, *Taenia ovis*, *Taenia hydatigena*, *Taenia pisiformis* and *Dipylidium caninum*. At the recommended dosage, Johnson's One Dose Easy Wormer gives limited control of *Echinococcus granulosus*.

7. METHOD AND ROUTE(S) OF ADMINISTRATION

DIRECTIONS: The tablets should be given whole with about one-fifth of the daily food ration in the morning when the dog's stomach is empty. The remaining food should be given in the evening.

DOSAGE: IMPORTANT - Follow the instructions carefully. For routine treatment of medium to large breeds of dogs and puppies over 6kg (13.2lbs), give one 500mg tablet per 10kg (22lbs) bodyweight, in accordance with the dosage table:

DOG'S WEIGHT		Number of tablets required
kg	lbs	
6.1 - 10	13.2 - 22	1
10.1 - 20	22.1 - 44	2
20.1 - 30	44.1 - 66	3
30.1 - 40	66.1 - 88	4

For very large dogs weighing more than 40kg (88lbs), give 1 additional tablet for every 10kg (22lbs) bodyweight.

For small dogs and puppies weighing less than 6.1kg (13.2lbs) use *Johnson's One Dose Easy Wormer (Size One)*.

NOTE: It is important to worm young puppies very regularly for roundworms at 2 weekly intervals from the age of 2 weeks. The use of a specific roundwormer is recommended at 2, 4 and 6 weeks of age. From 8 weeks of age, *Johnson's One Dose Easy Wormer* can be used at 4 weekly intervals up to the age of 6 months. Thereafter, it is advisable to treat adult dogs for both roundworms and tapeworms 4 times yearly. Nursing bitches should be treated at the same time as puppies.

8. WITHDRAWAL PERIOD(S)

9. SPECIAL WARNING(S), IF NECESSARY

CONTRA-INDICATIONS, WARNINGS, ETC:

These tablets are film coated and should be given whole, not broken or divided.

SIDE EFFECTS - when administered as recommended, these tablets are unlikely to cause vomiting. However, if vomiting or other adverse reaction should occur, do not repeat the dose.

If signs of disease persist or appear, consult your Veterinary Surgeon.

10. EXPIRY DATE

EXP. {day/month/year}

11. SPECIAL STORAGE CONDITIONS

Store in a dry place. Do not store above 25°C.

12. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of empty packaging and any remaining tablets in the household refuse.
KEEP CONTAINER IN OUTER CARTON

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

For animal treatment only.

AVM-GSL

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Store in a safe place out of reach of children.

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Marketing Authorisation Holder:

Elanco Europe Ltd
Form 2, Bartley Way
Bartley Wood Business Park
Hook
RG27 9XA

Distributor:

Johnson's Veterinary Products Ltd
Reddicap Trading Estate, Sutton Coldfield, West Midlands B75 7DF.
Tel: 0121 378 1684 e-mail: info@johnsons-vet.com

16. MARKETING AUTHORISATION NUMBER(S)

Vm 00879/4064

17. MANUFACTURER'S BATCH NUMBER

BN. {number}

PARTICULARS TO APPEAR ON THE OUTER PACKAGE

NATURE/TYPE: Cardboard Box, Size 4

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's one dose easy wormer for dogs & puppies 500mg film coated tablets

2. STATEMENT OF ACTIVE SUBSTANCES

8 tablets each containing nitroscanate 500mg

3. PHARMACEUTICAL FORM

Tablet

4. PACKAGE SIZE

Johnson's One Dose Easy Wormer Size 4 contains 8 tablets each containing nitroscanate 500mg
Multi-pack for homes with more than 1 dog or dogs from 6kg up to 80kg

5. TARGET SPECIES

One dose easy wormer for large breeds, or homes with more than one dog over 8 weeks of age from 6kg (13.2lbs) up to 80kg (176lbs)

6. INDICATION(S)

- One dose treatment
- Kills roundworms
- Kills tapeworms

Johnson's One Dose Easy Wormer is a broad-spectrum wormer for use in dogs. It is highly effective in a single dose against common canine nematodes (roundworms) and cestodes (tapeworms) in the UK: *Toxocara canis*, *Toxascaris leonina*, *Ancylostoma caninum*, *Uncinaria stenocephala*, *Taenia ovis*, *Taenia hydatigena*, *Taenia pisiformis* and *Dipylidium caninum*. At the recommended dosage, Johnson's One Dose Easy Wormer gives limited control of *Echinococcus granulosus*.

7. METHOD AND ROUTE(S) OF ADMINISTRATION

DIRECTIONS: The tablets should be given whole with about one-fifth of the daily food ration in the morning when the dog's stomach is empty. The remaining food should be given in the evening.

DOSAGE: IMPORTANT - Follow the instructions carefully. For routine treatment of medium to large breeds of dogs and puppies over 6kg (13.2lbs), give one 500mg tablet per 10kg (22lbs) bodyweight, in accordance with the dosage table:

DOG'S WEIGHT		Number of tablets required
kg	lbs	
6.1 - 10	13.2 - 22	1
10.1 - 20	22.1 - 44	2
20.1 - 30	44.1 - 66	3
30.1 - 40	66.1 - 88	4
40.1 - 50	88.1 - 110	5
50.1 - 60	110.1 - 132	6
60.1 - 70	132.1 - 154	7
70.1 - 80	154.1 - 176	8

For small dogs and puppies weighing less than 6.1kg (13.2lbs) use *Johnson's One Dose Easy Wormer (Size One)*.

NOTE: It is important to worm young puppies very regularly for roundworms at 2 weekly intervals from the age of 2 weeks. The use of a specific roundwormer is recommended at 2, 4 and 6 weeks of age. From 8 weeks of age, *Johnson's One Dose Easy Wormer* can be used at 4 weekly intervals up to the age of 6 months. Thereafter, it is advisable to treat adult dogs for both roundworms and tapeworms 4 times yearly. Nursing bitches should be treated at the same time as puppies.

8. WITHDRAWAL PERIOD(S)

9. SPECIAL WARNING(S), IF NECESSARY

CONTRA-INDICATIONS, WARNINGS, ETC:

These tablets are film coated and should be given whole, not broken or divided.

SIDE EFFECTS - when administered as recommended, these tablets are unlikely to cause vomiting. However, if vomiting or other adverse reaction should occur, do not repeat the dose.

If signs of disease persist or appear, consult your Veterinary Surgeon.

10. EXPIRY DATE

EXP. {day/month/year}

11. SPECIAL STORAGE CONDITIONS

Store in a dry place. Do not store above 25°C.

12. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of empty packaging and any remaining tablets in the household refuse.
KEEP CONTAINER IN OUTER CARTON

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

For animal treatment only.

AVM-GSL

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Store in a safe place out of reach of children.

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Marketing Authorisation Holder:

Elanco Europe Ltd
Form 2, Bartley Way
Bartley Wood Business Park
Hook
RG27 9XA

Distributor:

Johnson’s Veterinary Products Ltd
Sutton Coldfield, West Midlands B75 7DF UK
Tel: +44 (0)121 378 1684 Email: info@johnsons-vet.com

16. MARKETING AUTHORISATION NUMBER(S)

Vm 00879/4064

17. MANUFACTURER’S BATCH NUMBER



BN. {number}

MINIMUM PARTICULARS TO APPEAR ON BLISTERS OR STRIPS

NATURE/TYPE: Blister Foil

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's One Dose Easy Wormer for Dogs and Puppies 500 mg Film Coated tablet
Each tablet contains Nitroscanate 500 mg

1  = 10 kg 

2. NAME OF THE MARKETING AUTHORISATION HOLDER

Elanco Europe Ltd

3. EXPIRY DATE


EXP: {month/year}

4. BATCH NUMBER

LOT: {number}

5. THE WORDS "FOR ANIMAL TREATMENT ONLY"

For animal treatment only
For oral use



Approved: 22 October 2020