PARTICULARS TO APPEAR ON THE OUTER PACKAGE {CARTON}

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

SWITCH® 40 mg/ml Pour-on-Solution

2. STATEMENT OF ACTIVE SUBSTANCES

Permethrin (cis:trans 80:20) 40 mg/ml

3. PACKAGE SIZE

250 ml

4. TARGET SPECIES

Horses & donkeys

5. INDICATIONS

Aids control of Sweet Itch in horses & donkeys

6. ROUTES OF ADMINISTRATION

Pour-on Solution

7. WITHDRAWAL PERIODS

Withdrawal periods:

Not to be used in horses and donkeys intended for human consumption. Treated horses may never be slaughtered for human consumption. The horse must have been declared as not intended for human consumption under national horse passport legislation.

8. EXPIRY DATE

Exp. {mm/yyyy} (Present – on base of carton)

9. SPECIAL STORAGE PRECAUTIONS

Do not store above 25°C.
Store in original container tightly closed.

10. THE WORDS “READ THE PACKAGE LEAFLET BEFORE USE”

Read the package leaflet before use.

User Warnings

The veterinary medicinal product may cause neurotoxic effects and skin and eye irritation.
Personal productive equipment consisting of protective clothing, boots and chemically resistant gloves such as rubber, PVC or nitrile should be worn when handling and applying the veterinary medicinal product.
Wash splashes from the skin and eyes immediately.
If eye irritation persists, seek medical advice immediately and show the package leaflet or the label to the physician.
When using the veterinary medicinal product do not eat, drink or smoke. Wash hands and exposed skin before eating, drinking or smoking.
Use in a well-ventilated area.
Keep away from food, drink and animal feedstuffs.

11. THE WORDS “FOR ANIMAL TREATMENT ONLY”

For animal treatment only.

12. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the sight and reach of children.

13. NAME OF THE MARKETING AUTHORISATION HOLDER

VetPlus Ltd
Animal House
Boundary Road
Lytham
Lancashire
FY8 5LT

14. MARKETING AUTHORISATION NUMBERS

Vm 18182/5001

15. BATCH NUMBER

Lot {number} (Present – on base of carton)

PARTICULARS TO APPEAR ON THE IMMEDIATE PACKAGING WHERE THERE IS NO PACKAGE LEAFLET, i.e. Combined label and package leaflet {PEEL BACK LABEL}

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

SWITCH® 40 mg/ml Pour-on-Solution

2. COMPOSITION

Each ml contains:

Active substance:
Permethrin (cis:trans 80:20) 40 mg

A clear, colourless to pale yellow liquid.

3. PACKAGE SIZE

250 ml

4. TARGET SPECIES

Horses & donkeys (*Stated under indication and with directions for use etc*.)

5. INDICATIONS FOR USE

Indications for use
Aids control of Sweet Itch in horses & donkeys

6. CONTRAINDICATIONS

Contraindications
Do not treat the saddle area

7. SPECIAL WARNINGS

Special warnings

Special precautions for safe use in the target species:

A few horses, particularly those of the fine skinned Arab type, may react adversely to treatment with the product. In such individuals a small patch test at the base of the neck 24 hours before use is recommended. If adverse reaction occurs, treatment should be stopped immediately.

Take care to avoid eye contact. The product must not be applied forward of the ears. In case of accidental splashing into the horse's eye, the affected eye should be

washed thoroughly and immediately with copious quantities of clear water and veterinary attention sought.

Special precautions to be taken by the person administering the veterinary medicinal product to animals:

The veterinary medicinal product may cause neurotoxic effects and skin and eye irritation. Personal protective equipment consisting of protective clothing, boots and chemically resistant gloves such as rubber, PVC or nitrile, should be worn when handling and applying the veterinary medicinal product. Wash splashes from skin and eyes immediately. If eye irritation persists, seek medical advice immediately and show the package leaflet or the label to the physician. When using the veterinary medicinal product do not eat, drink or smoke. Wash hands and exposed skin before eating, drinking or smoking and after work. (Care should be taken when applying the veterinary medicinal product as it may have an adverse effect on certain plastics.) Keep away from food, drink and animal feedstuffs. Use in a well-ventilated area.

8. ADVERSE EVENTS

Adverse events

Target Species: Horses and donkeys

See section 7.

Reporting adverse events is important. It allows continuous safety monitoring of a product. If you notice any side effects, even those not already listed on this label, or you think that the medicine has not worked, please contact, in the first instance, your veterinarian. You can also report any adverse events to the marketing authorisation holder using the contact details on this label, or via your national reporting system at:

Website: https://www.gov.uk/report-veterinary-medicine-problem/animal-reacts-medicine

e-mail: adverse.events@vmd.gov.uk

9. DOSAGE FOR EACH TARGET SPECIES, ROUTES AND METHOD OF ADMINISTRATION

Dosage for each species, routes and method of administration

SWITCH® is a ready-to-use, pour-on solution which should be applied at the rate of 1 ml per 10 kg bodyweight to a maximum of 40 ml.

Bodyweight Dose:
Up to 100 kg - 10 ml
101 to 200 kg - 20 ml
201 to 300 kg - 30 ml
over 300 kg - 40 ml

10. ADVICE ON CORRECT ADMINISTRATION

Advice on correct administration

SWITCH® should be applied using the calibrated dispensing chamber incorporated into the applicator bottle. Apply the measured dose in approximately equal portions to the mane and rump avoiding the saddle area. (Take care to avoid eye contact. The product must not be applied forward of the ears.) Treatment should be started at the beginning of the Sweet Itch season and should be repeated as necessary - treatment once weekly should be sufficient for most horses. If horses and donkeys are to be groomed, apply SWITCH® after grooming. For external use only.

11. WITHDRAWAL PERIODS

Withdrawal periods
Not to be used in horses and donkeys intended for human consumption. Treated horses may never be slaughtered for human consumption. The horse must have been declared as not intended for human consumption under national horse passport legislation.

12. SPECIAL STORAGE PRECAUTIONS

Special storage precautions

Store in original container tightly closed.

Do not store above 25°C
Keep out of the sight and reach of children.
Do not use this veterinary medicinal product after the expiry date which is stated on the label and carton after Exp. The expiry date refers to the last day of that month.

13. SPECIAL PRECAUTIONS FOR DISPOSAL

Special precautions for disposal

Dangerous to fish and other aquatic life. Do not contaminate ponds, waterways or ditches with the veterinary medicinal product or with the used container.

Medicines should not be disposed of via wastewater or household waste.

Use take-back schemes for the disposal of any unused veterinary medicinal product or waste materials derived thereof in accordance with local requirements and with any applicable national collection systems. These measures should help to protect the environment.

Ask your veterinary surgeon or pharmacist how to dispose of medicines no longer required.

14. CLASSIFICATION OF VETERINARY MEDICINAL PRODUCTS

Classification of veterinary medicinal products

Veterinary medicinal product not subject to prescription.

15. MARKETING AUTHORISATION NUMBER AND PACK SIZES

Vm 18182/5001

Pack sizes

250 ml

16. PID LINK (Do not print heading)

[The following statement must be included where reference to the European Union Product Database is included on the product information. This statement is relevant to both UK(GB) and UK(NI) products:]

Find more product information by searching for the 'Product Information Database' on www.gov.uk.

17. CONTACT DETAILS

Contact details

Marketing authorisation holder and manufacturer responsible for batch release and contact details to report suspected adverse reactions:

VetPlus Ltd
Animal House
Boundary Road
Lytham
Lancashire
FY8 5LT
Tel: +44 (0)1253 797400

18. OTHER INFORMATION

Further information

As with all insecticides, the degree of fly-killing and repellent activity afforded by SWITCH® is influenced by prevailing weather conditions and species of flies involved. Sweet Itch is believed to be caused by hypersensitivity to the bites of flying insects e.g. Culicoides spp. It may be appropriate for owners to seek veterinary advice in severe cases of Sweet Itch and in cases of Sweet Itch which do not respond to treatment.

AVM-GSL

19. THE WORDS "FOR ANIMAL TREATMENT ONLY"

For animal treatment only.

20. EXPIRY DATE

Exp {mm/yyyy}

21. BATCH NUMBER

Lot {number}

Gavin Hall
Approved: 02 September 2026