MINIMUM PARTICULARS TO APPEAR ON BLISTERS OR STRIPS

BLISTER STRIP

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Bob Martin Clear 3 in 1 Flavoured WORMER XL 525/504/175 mg Tablets For Large Dogs

2. NAME OF THE MARKETING AUTHORISATION HOLDER

3. EXPIRY DATE

EXP.: end {month/year}

4. BATCH NUMBER

Batch No.: {number}

5. THE WORDS “FOR ANIMAL TREATMENT ONLY”

For Animal Treatment Only.

Contents 2 tablets

Tablet 1 Tablet 2

MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO PACKAGE LEAFLET, E.g. Concertina Labels. {EXPANDING CARTON}

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

MA holder: Vetoquinol UK Limited, Steadings Barn, Pury Hill Business Park, Nr. Alderton, Towcester, Northamptonshire, NN12 7LS

Manufacturers responsible for batch release:

- KVP Pharma + Veterinär Produkte GmbH, Projensdorfer Str. 324, 24106 Kiel, Germany

- EUROPHARTECH, 34 rue Henri Matisse, 63370 Lempdes, France

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Bob Martin Clear 3 in 1 Flavoured WORMER XL 525/504/175 mg Tablets For Large Dogs

3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS

ACTIVE SUBSTANCES
Pale brown to brown oval shaped tablet scored on both sides. Each tablet contains 525 mg febantel, 504 mg pyrantel embonate and 175 mg praziquantel.

4. PHARMACEUTICAL FORM

CONTENTS

2 tablets

5. PACKAGE SIZE

2 tablets 10 tablets

20 tablets 50 tablets

6. INDICATION(S)

Effective in One Dose

- Roundworms
- Tapeworms
- Hookworms
- Whipworms

7. CONTRAINDICATIONS

FOR SAFE USE:

Do not use in pregnant dogs. Do not use simultaneously with other worming products.

8. ADVERSE REACTIONS

Bob Martin Clear 3 in 1 Flavoured Wormer XL Tablets for Large Dogs is well tolerated in dogs. In safety studies doses of 5 x greater gave rise to occasional vomiting. If you notice any serious effects or other effects not mentioned on this packaging, please inform your veterinary surgeon. Mild and temporary upset stomach signs, such as vomiting and/or diarrhoea may occur in very rare cases.In individual cases these signs can be accompanied by non-specific signs such as lethargy, anorexia or hyperactivity.

9. TARGET SPECIES

Dogs

10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

DIRECTIONS:

Weigh your dog carefully before calculating the dose.

Give 1 tablet per 35 kg (77 lbs) bodyweight. Do not give any other dose than recommended without consulting your veterinary surgeon. For dogs weighing more than 35 kg use in combination with Bob Martin Clear 3 in 1 Flavoured Wormer Tablets for dogs (1 tablet per 10 kg bodyweight) to achieve the correct dose. The tablets should be given directly in the mouth of your dog but if necessary can be disguised in food.

Dog's Weight	Dose
35 kg	1 tablet 3 in 1 Flavoured Wormer XL Tablets
40 kg	½ tablet 3 in 1 Flavoured Wormer Tablets 1 tablet 3 in 1 Flavoured Wormer XL Tablets
45 kg	1 tablet 3 in 1 Flavoured Wormer Tablets 1 tablet 3 in 1 Flavoured Wormer XL Tablets

For dogs weighing under 35 kg use Bob Martin Clear 3 in 1 Flavoured Wormer Tablets for Dogs.

If signs of disease appear or persist, consult a veterinary surgeon.

11. ADVICE ON CORRECT ADMINISTRATION

HOW OFTEN TO USE:

Nursing bitches should be treated every 2 weeks after giving birth until weaning. Adult dogs should be treated every 3 months as a routine measure. In case of suspected heavy roundworm infestation, please contact your veterinary surgeon for diagnosis and treatment recommendation.

12. WITHDRAWAL PERIOD

13. SPECIAL STORAGE PRECAUTIONS

Keep the blister in the outer carton

Any part-used tablets should be discarded.

Do not use after the expiry date which is stated on the blister and carton after EXP. The expiry date refers to the last day of that month.

Do not store above 25°C.

Protect from light.

14. SPECIAL WARNING(S)

USER WARNINGS:

In case of accidental ingestion seek medical advice and show the packaging to the physician. In the interests of good hygiene, persons administering the tablet directly to the dog or by adding it to the dog's food should wash their hands afterwards.

Echinococcosis represents a hazard for humans. As Echinococcosis is a notifiable disease to the World Organisation for Animal Health (OIE), specific guidelines on the treatment and follow-up, and on the safeguard of persons, need to be obtained from the relevant competent authority.

15. EXPIRY DATE

EXP: end {month/year}

16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Disposal: Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal product should be disposed of in accordance with local requirements.

17. PID LINK (Do not print heading)

[The following statement must be included where reference to the European Union Product Database is included on the product information. This statement is relevant to both UK(GB) and UK(NI) products:]

Find more product information by searching for the 'Product Information Database' on www.gov.uk.

18. THE WORDS "FOR ANIMAL TREATMENT ONLY" AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

For animal treatment only.

AVM-GSL

UK Authorised Veterinary Medicinal Product

19. THE WORDS "KEEP OUT OF THE SIGHT AND REACH OF CHILDREN"

Keep out of the sight and reach of children,

20. MARKETING AUTHORISATION NUMBER

Vm 08007/5053

21. MANUFACTURER'S BATCH NUMBER

Batch No. : {number}

22. OTHER INFORMATION

Clinically proven, Bob Martin Clear 3 in 1 Flavoured Wormer XL Tablets for Large Dogs is an effective treatment against all intestinal worms commonly found in the UK and Eire.

EFFECTIVE TREATMENT OF

✓ Roundworms ✓ Tapeworms ✓ Hookworms ✓ Whipworms

FOR BEST RESULTS

There is no permanent treatment for worms. Veterinarians recommend dogs be wormed every 3 months as a routine measure. Dogs may become infected with worms by eating insects (including fleas and lice), birds, small rodents, rabbits or raw offal from affected sheep, goats and cattle. Dogs will continue to be re-infected unless the route of infection is controlled e.g. treating a flea infestation or preventing a dog from scavenging or hunting.

To prevent *Echinococcus multilocularis* establishing in the UK and Ireland, dogs entering the country must be treated with a product containing praziquantel.

Distributed by Bob Martin (UK) Ltd, Wemberham Lane, Yatton, North Somerset, BS49 4BS. UK

YOUR GUARANTEE

If this product reaches you in an unsatisfactory condition, please return it to us and we will promptly replace it or refund your money. Your statutory rights are not affected.

For further advice or information on the Bob Martin pharmacy range of products, please write to FREEPOST Bob Martin.

Call our advice line on 00800 43 78 79 67.

Email: info@bobmartin.co.uk

Gavin Hall
Approved: 09 December 2025