

MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING
UNITS: Sachet

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Bob Martin Clear Wormer 222.2 mg Granules for Cats & Kittens

2. QUANTITY OF THE ACTIVE SUBSTANCE(S)

Each 1g sachet of granules contains 222mg of fenbendazole.

3. CONTENTS BY WEIGHT, BY VOLUME OR BY NUMBER OF DOSES

1 g

4. ROUTE(S) OF ADMINISTRATION

Follow the detailed directions on the carton.

5. WITHDRAWAL PERIOD

6. BATCH NUMBER

Batch No:

7. EXPIRY DATE

EXP: end

8. THE WORDS "FOR ANIMAL TREATMENT ONLY"

For animal treatment only

9. OTHER INFORMATION

Just sprinkle onto your cat's food

Clinically proven, simply sprinkle the granules onto your cat's food to help keep them roundworm free.

Avoid allowing granules to come into contact with your skin.

As a precaution always wash your hands after use.

Avoid inhaling the granule dust.

Do not administer if your cat is sick or recovering from an illness.

If signs of disease persist or appear, consult your veterinary surgeon.

Keep out of the sight and reach of children.

Store in a dry place.

Keep sachets in outer carton.

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

**MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO
PACKAGE LEAFLET: CARTON BOX**

**1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND
OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR
BATCH RELEASE, IF DIFFERENT**

Bob Martin (UK) Ltd,
Wemberham Lane,
Yatton,
North Somerset,
BS49 4BS,
UK

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Bob Martin Clear Wormer 222.2 mg Granules for Cats & Kittens

3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS

Each 1g sachet of granules contains 222mg of fenbendazole.
This is an active ingredient that kills roundworms and roundworm eggs in a cat.

4. PHARMACEUTICAL FORM

Granules.

5. PACKAGE SIZE

1 sachet

3 sachets

6. INDICATION(S)

Bob Martin Clear Wormer 222.2mg Granules for cats and kittens is a highly effective routine treatment for roundworm and roundworm eggs.

7. CONTRAINDICATIONS

None.

8. ADVERSE REACTIONS

9. TARGET SPECIES

Cat

10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

Adult Cats: For routine control of roundworms and roundworm eggs in adult cats give 1 x 1 sachet per 2.2 kg (5lbs) bodyweight. Follow the dosing chart below:

Cat's Weight	No. Of Sachets
Up to 2.2 kg (5 lbs)	1
2.3 – 4.4 kg (5.1-10 lbs)	2
4.5-6.6 kg (10.1-14.5 lbs)	3

For cats weighing over 6.6 kg give an extra 1 x 1g sachet per each additional 2.2 kg bodyweight.

Kittens (aged 3 to 6 months): For weaned kittens weighing 2.2kg-4.4kg (5-10lbs) give 1 x 1g sachet daily for 3 consecutive days.

Very small or unweaned kittens under 3 months of age should be treated with a suitable licensed product.

11. ADVICE ON CORRECT ADMINISTRATION

The product should be sprinkled on the cat's food. Weigh your cat carefully before calculating the dose. Sprinkle the required number of sachets onto about 1/3 of your cat's food ration and mix. Once this food has been consumed the remainder of the cat's food can be given. If you have more than one cat, treat each one separately and ensure that your other cats do not have access to the treated food.

12. WITHDRAWAL PERIOD

13. SPECIAL STORAGE PRECAUTIONS

Store in a dry place.

Keep sachets in outer carton.

14. SPECIAL WARNING(S) <User Warnings>

To safeguard your health and that of your cat, please read this carton carefully before you apply the product to your cat.

Avoid allowing granules to come into contact with your skin.

As a precaution always wash your hands after use.

Avoid inhaling the granule dust.

Do not administer if your cat is sick or recovering from an illness. If signs of disease persist or appear, consult your veterinary surgeon.

For a treatment of pregnant cats seek the advice of a veterinary surgeon.

15. EXPIRY DATE

EXP: end

16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

17. DATE ON WHICH THE LABEL WAS LAST APPROVED

18. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

For animal treatment only.

[Distribution category]

AVM- GSL

19. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the sight and reach of children.

20. MARKETING AUTHORISATION NUMBER(S)

Vm 00715/4068

21. MANUFACTURER’S BATCH NUMBER


Batch No:

22. OTHER INFORMATION

Clinically proven, simply sprinkle the granules onto your cat’s food to help keep them roundworm free.

For best results: There is no permanent treatment for roundworm. Veterinarians recommend that weaned kittens and adult cats be wormed every 3 months as a routine measure.

Approved: 09/08/2017

A handwritten signature in black ink, appearing to read "J. Berg".