

PARTICULARS TO APPEAR ON <THE OUTER PACKAGE> <AND> <THE IMMEDIATE PACKAGE> {NATURE/TYPE}

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's Anti-Pest Insect Spray

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Contains Pyrethrum Extract 25% BP Vet 0.8% w.w

Piperonyl Butoxide BP Vet 1.0% w/w

3. PHARMACEUTICAL FORM

Cutaneous Spray

4. PACKAGE SIZE

150ml 250ml

5. TARGET SPECIES

For Dogs and Cats over 12 weeks of age and pigeons.

6. INDICATION(S)

Kills fleas on Dogs & Cats over 12 weeks of age and Mites and Lice on pigeons.

7. METHOD AND ROUTE(S) OF ADMINISTRATION

Directions for use: On Dogs and Cats shake can before use. Spray from a distance of about 12" (30cms) all over body, commencing at tail, while brushing against lie of coat to permit spray penetration. Avoid eyes and other sensitive areas. Repeat every 3-4 days if necessary until infestation is cleared. Keep animal under observation for 30 minutes after treatment, then brush & comb to remove dead fleas.

DOGS: Spray small dogs for about 6 seconds, medium dogs for about 9 seconds & large dogs for about 14 seconds.

CATS: This spray may be used with caution on cats but spray only for 3-5 seconds (NO MORE) according to size. Comb coat back into place & towel lightly to remove any excess spray. DO NOT ALLOW CAT TO GROOM UNTIL THIS HAS BEEN DONE & COAT IS DRY. Some cats are sensitive to aerosols, in which case use a flea powder or cat flea collar.

PIGEONS: Spray each bird for 3-5 seconds only according to size. Spray lightly at rear of bird from about 15" (38cms), parting feathers. Avoid eyes, Avoid spraying

over food & water containers. Repeat every 3-4 days until infestation is cleared. Use occasionally as a precaution, particularly after racing or showing. To help prevent re-infestation, also allow spray to fall on surroundings e.g. baskets, fittings, lofts. NOTE: Most effective way of treatment one person holds bird, protecting its eyes with one hand, while second person parts feathers & applies spray.

8. WITHDRAWAL PERIOD

Not applicable

9. SPECIAL WARNING(S), IF NECESSARY

Do not breathe spray mist.

Use in well ventilated area.

Do not smoke when using this product.

Keep treated animals away from fires and other sources of heat for at least 30 minutes following spraying and until feathers/fur are totally dry.

Avoid contact with eyes.

Wash hands after use.

Keep away from food and drink.

Extremely flammable. Do not pierce or burn even after use. Do not spray on naked flame or any incandescent material.

10. EXPIRY DATE

11. SPECIAL STORAGE CONDITIONS

Pressurised container: Protect from sunlight & do not expose to temperatures exceeding 50°C. Store below 25°C

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

13. THE WORDS "FOR ANIMAL TREATMENT ONLY" AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE *[Distribution category]*

POM-V

POM-
VPS

NFA-VPS

AVM-
GSL

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of reach of children

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Johnson's Veterinary Products Ltd
Sutton Coldfield
West Midlands
B75 7DF
England

16. MARKETING AUTHORISATION NUMBER(S)

Vm 01759/5002

17. MANUFACTURER'S BATCH NUMBER

Gavin Hall
Approved: 01 December 2025