

PARTICULARS TO APPEAR ON THE IMMEDIATE PACKAGE {Bottle labels}

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Zermasect Cattle Pour-On Solution 15 g/litre

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Ready to use oil based insecticide containing 15 g/litre alphacypermethrin

3. PHARMACEUTICAL FORM

Pour-On Solution

4. PACKAGE SIZE

1 Litre

5. TARGET SPECIES

Cattle

6. INDICATION(S)

For the treatment and control of flies and lice on cattle.

Fly Control – To control biting and nuisance flies, treatment should be repeated as necessary. Frequency of application will depend on the numbers and species of flies present; normally nuisance flies on the head and face can be controlled for up to 4/5 weeks and the biting horn fly for up to 8 weeks.

Lice Control – To control sucking and biting lice, one application treatment will normally eradicate all the lice. If a few lice survive on individual animals, it may be necessary on very rare occasions to re-treat an animal.

7. METHOD AND ROUTE(S) OF ADMINISTRATION

For external use only.

Apply a single 10 ml dose, with the applicator gun, from the crown of the head down the neck and along the middle of the back of the animal.

How to apply Zermasect Cattle Pour-On

Using the applicator gun:

- 1) Remove transit cap.
- 2) Fit the spouted cap to the bottle.
- 3) Attach the delivery tube from the gun to the spouted cap.

4) Adjust the gun to deliver 10 ml.

Apply from the crown down the neck and along the middle of the back of the animal.

8. WITHDRAWAL PERIOD

Protection of consumers:

Animals must not be slaughtered for human consumption during treatment.

Meat: 28 days.

Milk: Zero hours.

9. SPECIAL WARNING(S), IF NECESSARY

Signs of discomfort may be exhibited by some animals after treatment. This will not last longer than 48 hours and will have no long lasting effect on the animal.

Protection of operators:

Wear waterproof apron and boots and impervious gloves when applying the product and when handling recently treated animals. Wash splashes from skin and eyes immediately. Remove heavily contaminated clothing and wash before re-use. Wash hands and exposed skin before eating, drinking or smoking and after work.

10. EXPIRY DATE

Expiry date:

11. SPECIAL STORAGE CONDITIONS

Store in tightly closed original container.

Do not store above 25°C.

Store away from food, drink and animal feedstuffs.

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dangerous to fish and aquatic life. Do not contaminate ponds, waterways or ditches with the product or empty container. Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE

POM-VPS

To be supplied only on veterinary prescription.

For animal treatment only

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the sight and reach of children.

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Zoetis UK Limited
1st Floor, Birchwood Building
Springfield Drive
Leatherhead
Surrey
KT22 7LP

16. MARKETING AUTHORISATION NUMBER

Vm 42058/4167

17. MANUFACTURER’S BATCH NUMBER

Batch No.

PARTICULARS TO APPEAR ON THE OUTER PACKAGE {Shipper label}

PLEASE NOTE: Whilst the 6 x 1 Litre outer label has been approved by the VMD in the past, this component is in fact a shipper label so should not be under any regulatory control.

A handwritten signature in black ink, consisting of several vertical strokes followed by a horizontal line that curves upwards and to the right.

Approved 06 November 2020