

**PARTICULARS TO APPEAR ON <THE IMMEDIATE PACKAGE>**

**{Label }**

**1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Johnson's Dog Flea Pump Spray, Cutaneous Spray Solution

**2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES**

Contains:

Pyrethrum Extract 25%, 1% w/w (as pyrethrins 0.25% w/w) and Piperonyl Butoxide 1.25% w/w

**3. PHARMACEUTICAL FORM**

Cutaneous Spray Solution

**4. PACKAGE SIZE**

100 ml and 200 ml

**5. TARGET SPECIES**

Dogs

**6. INDICATION(S)**

*[Optional. In case of space restriction and if the indication is clear from the name of the product, the indication should not be repeated]*

Kills fleas

For dogs and puppies over 12 weeks

**7. METHOD AND ROUTE(S) OF ADMINISTRATION**

Directions for use

Remove protective cover. Comb animal's coat the wrong way and spray into the roots of the coat and skin from a distance of about 15cm (6") working from rear to head. Avoid eyes and other sensitive areas. Comb coat back into place and towel lightly to remove all excess spray. Do not allow dog to groom until this is done and coat is dry. Repeat after 3-4 days if any re-infestation is apparent. Keep animal under observation for 30 minutes after treatment, then brush or comb to remove dead fleas, eggs, etc.

Recommendation:

Use 25 pumps of the spray for a small dog (e.g. terrier)  
Use 35 pumps of the spray for a medium sized dog (e.g. collie)  
Use 50 pumps of the spray for a large dog (e.g. Alsatian)

Do not exceed the recommended dosage.

Further information:

To help prevent re-infestation, dog's bedding and regular resting areas including carpets and soft furnishings should be treated with a suitable insecticide and vacuumed regularly. Wash or change pet bedding regularly.

## **8. WITHDRAWAL PERIOD**

N/A

## **9. SPECIAL WARNING(S), IF NECESSARY**

<User Warnings>

Contra-indications

Do not use on puppies under 12 weeks of age or on nursing bitches, from which fleas may be removed by careful use a flea comb. If signs of disease persist or appear, consult a Veterinary Surgeon promptly.

Hazard warning:

Keep treated animals away from fires and other sources of heat for at least 30 minutes following spraying and until the fur is totally dry.

Operator warnings:

FLAMMABLE. Do not spray on a naked flame or any incandescent material. Do not smoke when using this product. Do not store above 25°C. Do not breathe spray mist and use in a well ventilated area. Avoid contact with eyes. In case of accidental eye contact, rinse with clean, fresh water. If eye irritation persists, seek medical advice. Wash hands and exposed skin after use. Persons who are hypersensitive (allergic) to pyrethrum extract should handle the product with care. Treated animals should not be allowed to sleep or play with people, particularly children, until the animal is dry. Keep away from food and drink, including animal feeding stuffs. Harmful to fish and crustaceans. Do not contaminate aquaria and fishbowls with the product. For external use only. Dispose of empty containers and any remaining product in the household refuse. Avoid contact with delicate fabrics or polished surfaces. Do not allow treated dogs to swim for 24 hours after application of the product.

## **10. EXPIRY DATE**

EXP: end {month/year} printed on label

## **11. SPECIAL STORAGE CONDITIONS**

Do not store above 25°C.

**12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY**

Dispose of empty containers and any remaining product in the household refuse.

**13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE [Distribution category]**

For animal treatment only

AVM-GSL

**14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”**

Keep out of reach of children

**15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER**

(Distributed by)

Johnson’s Veterinary Products Ltd  
Sutton Coldfield, West Midlands, B75 7DF

**16. MARKETING AUTHORISATION NUMBER(S)**

Vm <number>

16516/4019

**17. MANUFACTURER’S BATCH NUMBER**

Approved: 19/09/2017

