

PARTICULARS TO APPEAR ON <THE IMMEDIATE PACKAGE>

{Blister card}

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Pets with Wilko Dog Flea Drops, 65% w/w, Cutaneous Solution

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

2 tubes each containing 742mg of Permethrin 25:75 Cis:Trans in a 1ml solution.

3. PHARMACEUTICAL FORM

Cutaneous solution

4. PACKAGE SIZE

2 tubes, each tube 2 ml capacity to give 1 ml dose

5. TARGET SPECIES

Dogs

6. INDICATION(S)

[Optional. In case of space restriction and if the indication is clear from the name of the product, the indication should not be repeated]

Kills fleas and ticks for up to 4 weeks. For use on dogs & puppies over 2 weeks of age. Pets with Wilko Dog Flea Drops can only be fully effective as part of a programme to eliminate fleas & their larvae from pets and their surroundings. Therefore, the animal's basket, bedding and regular resting areas such as carpets and soft furnishings should be vacuumed regularly and treated periodically with a suitable insecticide. Wash or change bedding regularly.

7. METHOD AND ROUTE(S) OF ADMINISTRATION

Directions for use

Twist off cap, holding tube upright. (fig. 1) Do not squeeze tube during opening. Squeeze tube firmly during application to ensure all contents are expelled. DO NOT MASSAGE THE DROPS INTO THE SKIN. AVOID APPLYING TO FUR. For dogs weighing up to 15kg (33lb) - Use one tube only. Part animal's coat between the shoulder blades (fig. 2) and squeeze entire contents of ONE tube directly on to exposed skin (fig. 3). Do not remove second tube from packaging until required for future application. For dogs weighing over 15kg (33lb) – use two tubes. Part animal's coat between shoulder blades (fig. 2) and squeeze entire contents of one tube directly on to exposed skin (fig. 3). Additionally, part coat on dog's back near base of tail and apply entire contents of second tube to exposed skin (fig. 4).

The four week period of protection may be reduced if coat becomes saturated, e.g. after shampooing, swimming or in heavy rain. If required, drops can be reapplied 7 days after initial application. Also treat pet bedding and other resting areas

8. WITHDRAWAL PERIOD

N/A

9. SPECIAL WARNING(S), IF NECESSARY

<User Warnings>

IMPORTANT

EXTREMELY POISONOUS TO CATS

THIS PRODUCT COULD KILL CATS

TO PREVENT CATS FROM BEING ACCIDENTALLY EXPOSED TO THE PRODUCT YOU MUST KEEP TREATED DOGS AWAY FROM CATS FOR 72 HOURS AFTER THE TREATMENT. IT IS IMPORTANT TO ENSURE THAT CATS DO NOT GROOM THE SITE OF APPLICATION ON A DOG, WHICH HAS BEEN TREATED WITH THIS PRODUCT. SEEK VETERINARY ADVICE IMMEDIATELY IF THIS OCCURS. READ ALL INSTRUCTIONS AND PRECAUTIONS BEFORE USE.

Contra-indications and warnings

Do not use on cats. Do not use on puppies under 2 weeks of age or nursing bitches from which fleas can be removed by careful use of a flea comb. Do not apply drops if other flea and tick control products are being used on dog. For external use only. Do not use any other flea control products on dog during the four week protection period. Do not reapply drops within 7 days of application. After use, examine site of application periodically as occasionally a sensitive animal may experience localised skin irritation, in which case bathe dog with a mild, non-insecticidal shampoo. If signs of disease persist or appear consult your veterinary surgeon. Take this pack and if possible the tube.

Operator warnings

Do not remove tubes from packaging until ready for use. Keep away from food and drink. Do not allow people, especially children, to sleep with the dog after treatment, which should be carried out in the evening when children are in bed. Do not handle area of application for 3-6 hours following treatment. Avoid the drops coming into contact with your fingers. Avoid skin and eyes. Wash off any splashes with clean water. Wash hands after use. If you feel unwell after handling the product, see your doctor. Users making multiple applications e.g. kennels, should wear protective gloves (neoprene or nitrile, 0.3mm minimum thickness).

Treated dogs should not be allowed to swim for at least 12 hours after treatment.

10. EXPIRY DATE

EXP: end {month/year}

11. SPECIAL STORAGE CONDITIONS

STORAGE INSTRUCTIONS: Protect from direct sunlight. Do not refrigerate. Do not freeze. Do not store above 25°C.

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of empty packaging (including empty tube) and any remaining product in the household refuse. EXTREMELY DANGEROUS to fish, other aquatic life and reptiles. Do not contaminate aquaria, ponds or other waterways.

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE

[Distribution category]

For animal treatment only

AVM-GSL

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the sight and reach of children

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

MA Holder
Sinclair Animal and Household Care Ltd
Ropery Road
Gainsborough
Lincolnshire
DN21 2QB

Distributed by
Wilko
Roebuck Way
Manton Wood
Worksop
Nottinghamshire
S80 3EG

16. MARKETING AUTHORISATION NUMBER(S)

Vm 16516/4002

17. MANUFACTURER’S BATCH NUMBER

ManA 16576

MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING UNITS {NATURE/TYPE}

2 ml tube label

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Dog Flea Drops

With Permethrin

2. QUANTITY OF THE ACTIVE SUBSTANCE(S)

Each 1ml tube contains 742mg Permethrin 25:75 cis:trans

3. CONTENTS BY WEIGHT, BY VOLUME OR BY NUMBER OF DOSES

Each 1ml tube contains 742mg Permethrin 25:75 cis:trans

4. ROUTE(S) OF ADMINISTRATION

For external use only on dogs

5. WITHDRAWAL PERIOD

N/A

6. BATCH NUMBER

Batch number embossed onto base seal.

7. EXPIRY DATE

Expiry date embossed onto base seal.

8. THE WORDS "FOR ANIMAL TREATMENT ONLY"

For animal treatment only

Read instructions and warnings before use.

EXTREMELY POISONOUS TO CATS

Approved 23 July 2021

A handwritten signature in black ink, appearing to read "Hunter.", is written below the approval date.