

PARTICULARS TO APPEAR ON <THE OUTER PACKAGE> <AND> <THE IMMEDIATE PACKAGE> {Carton}

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's Easy Wormer Granules for cats & Kittens 222.22mg

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Each 1g sachet contains 222.2mg fenbendazole.

3. PHARMACEUTICAL FORM

Granules

4. PACKAGE SIZE

3 x 1g sachet of white odourless and tasteless granules each containing 222.22mg Fenbendazole that are readily consumed by animals.

5. TARGET SPECIES

For cats & kittens.

6. INDICATION(S)

For the routine treatment of adult cats & kittens infected with common roundworms of the gastro-intestinal tract.

7. METHOD AND ROUTE(S) OF ADMINISTRATION

DOSAGE AND ADMINISTRATION: Johnson's Easy Wormer Granules should be mixed into the food. If you own more than one cat you should feed them individually to ensure that the correct dose is consumed by each.

ROUTINE TREATMENT OF ADULT CATS OVER 6 MONTHS OF AGE WEIGHING MINIMUM 1KG (2.2LB) BODYWEIGHT.

Each 1g sachet will dose up to 2kg (4.4lb) adult bodyweight in a single dose.

Weight of Cat		Single Dose
Kgs	Lbs	Required
1 – 2kg	(2 – 4.4lb)	One 1g Sachet
2.1 – 4kg	(4.5 – 8.8lb)	Two 1g Sachets
4.1 – 6kg	(8.9 – 13lb)	Three 1g Sachets

For cats weighing over 6kg (13lb) an extra 1g sachet is required for each 2kg (4.4lb) of bodyweight.

Routine treatment of adult cats is advisable 2 to 4 times per year. More frequent treatment at 6 to 8 weekly intervals is recommended for cats in catteries where re-infestation occurs more readily. Treatment should be repeated when natural re-infestation with parasitic worms occurs.

WEANED KITTENS UP TO SIX MONTHS OF AGE.

This product is only for use in kittens weighing a minimum of 2kg (4.4lb) bodyweight. Smaller or unweaned kittens should be treated with a suitable alternative authorised product. Each 1g sachet will dose up to 4kg (8.8lb) bodyweight (minimum bodyweight 2kg)

Administer 1 sachet per 4kg (8.8lb) bodyweight daily for 3 consecutive days.

Note: Kittens should be treated for roundworms at 5, 8 and 12 weeks of age and thereafter, occasionally up to the age of 6 months. If kitten is below minimum treatment weight, a suitable authorised product should be used.

8. WITHDRAWAL PERIOD

Not applicable

9. SPECIAL WARNING(S), IF NECESSARY

CONTRA-INDICATIONS, WARNINGS ETC.

Not for use in pregnant females. If signs of disease persist or appear, consult your Veterinary Surgeon.

Direct contact with the skin should be kept to a minimum. Avoid inhalation of granule dust. Wash hands after use. Assess bodyweight as accurately as possible before calculating the dose.

10. EXPIRY DATE

END MM/YY

11. SPECIAL STORAGE CONDITIONS

Keep container in outer carton.

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of empty packaging and any remaining product in the household refuse.

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE [Distribution category]

For animal treatment only

POM-V

POM-
VPS

NFA-VPS

AVM-
GSL

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the reach of children

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Johnson’s Veterinary Products Ltd, Sutton Coldfield, West Midlands, B75 7DF, UK

16. MARKETING AUTHORISATION NUMBER(S)

Vm 01759/4072

17. MANUFACTURER’S BATCH NUMBER

18. OTHER INFORMATION

Mode of Action – The active ingredient – Fenbendazole – acts by preventing the worm from absorbing its food. As a consequence worms starve and die over a period of time. Occasionally, whole worms may be passed in the faeces for up to 6 days following treatment.

- Easy to use
- Mixes into their food
- 3 sachets, each containing 1g of granules
- Treats cats up to 6kg (13lb)
- Treats kittens up to 4kg (9lb) for three consecutive days

MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING UNITS {Sachet}

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's Easy wormer granules for Cats & Kittens 222.22mg.

2. QUANTITY OF THE ACTIVE SUBSTANCE(S)

222.2mg Fenbendazole.

3. CONTENTS BY WEIGHT, BY VOLUME OR BY NUMBER OF DOSES

1g sachet of granules containing 222.22mg Fenbendazole.

4. ROUTE(S) OF ADMINISTRATION

For the routine treatment of Cats & Kittens infected with common roundworms.

DOSAGE AND ADMINISTRATION: Granules should be mixed into the food ADULT CATS OVER 6 MONTHS OF AGE WEIGHING MINIMUM 1kg (2.2lb) Give 1 sachet for each 2kg (4.4lb) adult bodyweight as a single dose.

WEANED KITTENS UP TO 6 MONTHS OF AGE WEIGHING MINIMUM 2kg (4.4kg)
Give 1 sachet for each 4kg (8.8lb) bodyweight daily for 3 consecutive days. If kitten is unweaned or below minimum bodyweight, a suitable alternative authorised product should be used. Note: Kittens should be treated for roundworms at 5, 8 and 12 weeks of age and thereafter, occasionally up to the age of 6 months. Keep container in outer carton.

5. WITHDRAWAL PERIOD

Not applicable

6. BATCH NUMBER

BN

7. EXPIRY DATE

END MM/YY

8. THE WORDS "FOR ANIMAL TREATMENT ONLY"

For animal treatment only

9. CONTRA-INDICATIONS

Not for use in pregnant females. If signs of disease persist or appear, consult your veterinary surgeon. Direct contact with the skin should be kept to a minimum. Avoid inhalation of granule dust. Wash hands after use. Dispose of empty packaging and remaining product in the household refuse. Keep out of the reach of children. Assess bodyweight as accurately as possible before calculating the dosage.

10. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Johnson's Veterinary Products Ltd, Sutton Coldfield, West Midlands, B75 7DF, UK

11. MARKETING AUTHORISATION NUMBER(S)

Vm 01759/4072

AVM-
GSL

Approved: 05/10/2017

