PARTICULARS TO APPEAR ON THE OUTER PACKAGE

CARTON

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's Easy Spot-On Solution Wormer for Cats & Kittens 20mg

2. STATEMENT OF ACTIVE SUBSTANCES

ACTIVE INGREDIENTS
Each tube contains a solution of praziquantel (equivalent to 20 mg praziquantel/tube).

Excipients
N-methylpyrrolidone 497.8 mg

3. PHARMACEUTICAL FORM

Spot-on solution.

4. PACKAGE SIZE

2 tubes
4 tubes Multi Cat Pack

5. TARGET SPECIES

Cats & kittens.

6. INDICATION(S)

Fast and effective tapeworm treatment for cats & kittens.

EFFECTIVE TREATMENT OF:
Common worms affecting cats specifically tapeworms:

- ✓ Dipylidium caninum
- ✓ Taenia taeniaeformis
- ✓ Echinococcus multilocularis

7. METHOD AND ROUTE(S) OF ADMINISTRATION

Directions:

DO NOT administer the product by mouth.

Weigh your cat carefully before calculating the dose.

Cat's Weight	No. of Tubes
1 – 2.5 kg	1
2.5 – 5 kg	2

Note: Do not use on cats/kittens less than 1 kg. If your cat weighs more than 5 kg apply an extra tube per 2.5 kg.

1. Hold tube upright. Remove cap and use the top of the cap to break the seal on the end of the tube.

2. Part the coat on the back of the neck immediately behind the head until the skin is visible.



3. Place the tip of the tube on the skin and slowly squeeze the entire contents onto the skin.

Each application will be absorbed into the skin. Allow contents of each tube to be absorbed before applying any additional tubes. Correct application will minimise the chance for your cat to lick the product. However, the product is bitter tasting and if the cat licks the site of application salivation may occur. This is not a sign of intoxication and will disappear within a few minutes of treatment.

HOW OFTEN TO USE
For effective protection it is recommended that you worm your cat or kitten every 3 months.

8. WITHDRAWAL PERIOD

9. SPECIAL WARNING(S), IF NECESSARY

ALWAYS READ THE PACKAGE LEAFLET CAREFULLY BEFORE USE.

FOR EXTERNAL USE ONLY.

- Do NOT administer by mouth.
- Do not use this product on cats weighing less than 1 kg.
- Do not allow recently treated animals to groom each other.
- Use during pregnancy and lactation – read the package leaflet.

- The safety of the veterinary medicinal product has not been established in cats during pregnancy, lactation or in animals intended for breeding.

User safety:

- For full user safety warnings, read the package leaflet.
- Pregnant women and women suspected of being pregnant should not administer the product.
- Do not stroke or groom animals until area of application is dry (typically 1 hour after application).
- Wash hands thoroughly after use.

10. EXPIRY DATE

Exp. Date: {month/year}

11. SPECIAL STORAGE CONDITIONS

Store away from food, drink or animal food stuffs. Do not use after expiry date. Keep the container and the leaflet in the outer carton.

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

After use replace cap on tube and dispose of with any empty packaging in the household refuse.

13. THE WORDS "FOR ANIMAL TREATMENT ONLY" AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE

[Distribution category]

For animal treatment only.

AVM-GSL

14. THE WORDS "KEEP OUT OF THE SIGHT AND REACH OF CHILDREN"

Keep out of reach of children.

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Vetoquinol UK Limited
Steadings Barn
Pury Hill Business Park, Nr. Alderton
Towcester
Northamptonshire
NN12 7LS
United Kingdom

16. MARKETING AUTHORISATION NUMBER(S)

Vm 08007/5062

17. MANUFACTURER'S BATCH NUMBER

Batch Number: {number}

Distributed by:
Johnson's Veterinary Products Ltd
5 Reddicap Trading Estate
Sutton Coldeld
West Midlands, B75 7DF
Tel: +44(0)121 378 1684
info@johnsons-vet.com

MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING UNITS : UNIT DOSE TUBE LABEL

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's Easy Spot-On Solution Wormer for Cats & Kittens 20mg.

2. QUANTITY OF THE ACTIVE SUBSTANCE(S)

Contains 20 mg praziquantel

3. CONTENTS BY WEIGHT, BY VOLUME OR BY NUMBER OF DOSES

In 0.5 ml

4. ROUTE(S) OF ADMINISTRATION

5. WITHDRAWAL PERIOD

6. BATCH NUMBER

BN: {number}

7. EXPIRY DATE

EXP.: {month/year}

8. THE WORDS "FOR ANIMAL TREATMENT ONLY"

For animal treatment only.

AVM-GSL

For external use only.

Vm 08007/5062
Vetoquinol UK Limited

MINIMUM PARTICULARS TO APPEAR ON BLISTERS OR STRIPS

BLISTER FOIL

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson’s Easy Spot-On Solution Wormer for Cats & Kittens 20mg.

2. NAME OF THE MARKETING AUTHORISATION HOLDER

3. EXPIRY DATE

Expiry: {month/year}

4. BATCH NUMBER

BN: {number}

5. THE WORDS “FOR ANIMAL TREATMENT ONLY”

For animal treatment only

For external use only.

Contains 20 mg praziquantel in 0.5 ml.

2 x 0.5 ml tubes

AVM-GSL

Keep container in outer carton.

Vm 08007/5062
Distributed by Johnson's Veterinary Products Ltd

PACKAGE LEAFLET FOR:

Johnson's Easy Spot-On Wormer Solution for Cats & Kittens 20mg

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

Marketing Authorisation Holder:
Vetoquinol UK Limited
Steadings Barn
Pury Hill Business Park, Nr. Alderton
Towcester
Northamptonshire
NN12 7LS
United Kingdom

Manufacturer responsible for batch release:
KVP Pharma und Veterinär Produkte GmbH, Projensdorfer Str. 324, D-24106 Kiel, Germany

VETOQUINOL BIOWET Sp. z o.o., Żwirowa 140, 66-400 Gorzów Wlkp.Poland

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's Easy Spot-On Wormer Solution for Cats & Kittens 20mg

3. STATEMENT OF THE ACTIVE SUBSTANCE (S) AND OTHER INGREDIENTS

What does Johnson's Easy Spot-On Wormer for Cats & Kittens contain?
Johnson's Easy Spot-On Solution Wormer for Cats & Kittens is available in two pack sizes, each pack containing either 2 tubes or 4 tubes. Not all pack sizes may be marketed. Each tube contains 0.5 ml of liquid containing 20 mg praziquantel. This is an active ingredient that kills your pet's tapeworms. The solution also contains other active ingredients which are needed to allow the drug to be absorbed across the skin and into your cat's body where it can be effective. Each tube contains 497.8 mg of N-methylpyrrolidone.

What is Johnson's Easy Spot-On Wormer for cats & kittens?
Johnson's Easy Spot-On Solution Wormer for cats & kittens has been specially developed to make worming easy – simply apply the solution to back of your cat's neck for fast effective treatment. Clinically proven, the product starts working almost immediately and is 100% effective at controlling tapeworm – one of the most common worms in cats.

4. INDICATION(S)

Fast and 100% effective tapeworming treatment.
To safeguard your health and that of your pet please read this leaflet carefully before you apply the product to your pet.

The product has been specifically developed for administration to cats and is particularly effective against the following worm species:

- ✓ *Dipylidium caninum*
- ✓ *Taenia taeniaeformis*
- ✓ *Echinococcus multilocularis*

5. CONTRAINDICATIONS

Do not use on cats weighing less than 1 kg.
Do not allow recently treated cats to groom each other.

6. ADVERSE EVENTS

Cats and kittens
Occasionally a transient local reaction, such as scurf, mild exudation, alopecia (hair loss), scab, erythema (reddening) and pruritus (itching) may be observed at the application site following treatment.

The product is bitter tasting and salivation may occasionally occur if the cat licks the application site immediately after treatment. This is not a sign of intoxication and disappears after a short time without treatment.

7. TARGET SPECIES

Cats and kittens.

8. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

How should Johnson's Easy Spot-On Solution Wormer for Cats & Kittens be used?

Warning: Do not administer Johnson's Easy Spot-On Solution Wormer for Cats & Kittens by mouth.

Weigh your cat carefully before calculating the dose.
Underdosing could result in ineffective use and may favour resistance development.

Cat's Weight	No. of Tubes
1 – 2.5 kg	1
2.5 – 5 kg	2

Note: Do not use on cats/kittens less than 1 kg. If your cat weighs more than 5 kg apply an extra tube per 2.5 kg bodyweight.

When should you use Johnson's Easy Spot-On Solution Wormer for cats & kittens?
There is no permanent treatment for worms. Veterinarians recommend that weaned kittens and adult cats be wormed every 3 months as a routine measure. It is also important to remove sources of possible re-infection such as fleas and mice.

9. ADVICE ON CORRECT ADMINISTRATION

Hold tube upright. Remove cap and use top of cap to break the seal on the end of the tube. Part the coat on the back of the neck immediately behind the head until the skin is visible.



Place the tip of the tube on the skin and slowly squeeze the entire contents onto the skin. Each application will be absorbed into the skin. Allow the contents of each tube to be absorbed before applying additional tubes.

Correct application will minimise the chance for your cat to lick the product. However, the product is bitter tasting and if the cat licks the site of application salivation may occur. This Is not a sign of intoxication and will disappear within a few minutes of treatment.

10. WITHDRAWAL PERIOD(S)

11. SPECIAL STORAGE PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN.

Store away from food, drink or animal feeding stuffs. Do not use after expiry date. Keep container in outer carton.

12. SPECIAL WARNING(S)

The safety of the veterinary medicinal product has not been established in cats during pregnancy, lactation or in animals intended for breeding. Laboratory studies in rabbits and rats with the excipient N-methyl pyrrolidone have shown evidence of foetotoxic effects. Use only according to the benefit-risk assessment by the responsible veterinarian.

User safety – IMPORTANT: ALWAYS READ THIS SECTION CAREFULLY

Laboratory studies in rabbits and rats with the excipient N-methylpyrrolidone have shown evidence of foetotoxic effects. The veterinary medicinal product should not be administered by pregnant women and women suspected of being pregnant. Personal protective equipment consisting of gloves should be worn when handling the veterinary medicinal product by women of childbearing age.

How do I use this product safely?

For external use only.

For Animal Treatment Only.

Do not eat, drink or smoke during application.
This product can be an irritant to the skin and eyes.
Wash hands thoroughly after use, wash off any skin contamination with soap and water immediately.
Care should be taken to avoid the contents of the tube coming into contact with the eyes or mouth of the user or the recipient animal. If accidental contact occurs (splashes) with the eyes, flush the affected eyes thoroughly with clean fresh water.
In the event of skin, eye or mouth contact, seek medical advice if irritation persists and show the doctor this package.
Do not stroke or groom animals until the area of application is dry (typically 1 hour after application).
If signs of disease persist or appear, consult a veterinary surgeon.

13. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUT OR WASTE MATERIALS, IF ANY.

After use replace cap on tube and dispose of with any empty packaging in the household refuse.

14. PID LINK (Do not print heading)

[The following statement must be included where reference to the European Union Product Database is included on the product information. This statement is relevant to both UK(GB) and UK(NI) products:]

Find more product information by searching for the 'Product Information Database' on www.gov.uk.

15. FURTHER INFORMATION

Legal category: AVM-GSL

Marketing Authorisation No.: 08007/5062

Distributed by:

Johnson's Veterinary Products Ltd
5 Reddicap Trading Estate
Sutton Coldfield
West Midlands, B75 7DF

Gavin Hall
Approved: 12 December 2025