PARTICULARS TO APPEAR ON <THE IMMEDIATE PACKAGE>

{Carton }

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Beaphar Worming Syrup, 9.4% w/v, oral solution

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Oral solution containing piperazine citrate 9.4% w/v

3. PHARMACEUTICAL FORM

Oral solution

4. PACKAGE SIZE

Cont.: 45 ml

One bottle contains sufficient syrup to treat a 32 kg animal, or a 5 kg animal six times.

5. TARGET SPECIES

Dogs and cats

6. INDICATION(S)

[Optional. In case of space restriction and if the indication is clear from the name of the product, the indication should not be repeated]

For treatment of roundworms in puppies and kittens from two weeks of age.

7. METHOD AND ROUTE(S) OF ADMINISTRATION

Dosing instructions:

Shake the bottle before use. Remove lid and fit dispensing pump. Prime the pump by slowly depressing the plunger 5 times. Once primed, each "pump" depression administers sufficient syrup for 0.9 kg bodyweight.

Example:

Pet's weight	N°. pumps	Dosing
(kg)	required	(ml)
Up to 0.9	1	1.1
0.91 - 1.8	2	2.2
1.81 - 2.7	3	3.3
2.71 - 3.6	4	4.4
3.61 - 4.5	5	5.5
4.51 - 5.4	6	6.6

For every additional 0.9 kg bodyweight an extra single pump volume should be administered.

Administration:

Worming Syrup may be given directly into the corner of the mouth, or mixed in a little food. The remainder of the meal should be given afterwards, to ensure all the syrup is taken.

All puppies and kittens should be treated for roundworm at two weeks of age. Repeat treatment at 4, 6, 8,10 and 12 weeks of age to ensure continued removal of worms.

Thereafter, treat at 2 or 3 monthly intervals. Nursing females should be wormed at the same time as the puppies and kittens until weaning.

See enclosure leaflet for further information.

8. WITHDRAWAL PERIOD

N/A

9. SPECIAL WARNING(S), IF NECESSARY

Warnings:

Do not exceed stated dose. Do not repeat treatment if vomiting occurs shortly after dosing.

Consult a Veterinary Surgeon before treating pregnant animals or those with a history of epilepsy or severe renal disfunction. If signs of disease persist or appear, consult a Veterinary Surgeon. Following accidental skin or eye contact, wash the affected area with plenty of water. If irritation persists, seek medical advice. Following accidental ingestion, drink plenty of water and seek medical attention.

Wash hands after use.

10. EXPIRY DATE

EXP end: {month/year}

11. SPECIAL STORAGE CONDITIONS

Do not store above 25 °C. Keep container in outer carton.

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of used packaging and remaining product in the household refuse.

13. THE WORDS "FOR ANIMAL TREATMENT ONLY" AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE [Distribution category]

For animal treatment only

AVM-GSL

14. THE WORDS "KEEP OUT OF THE SIGHT AND REACH OF CHILDREN"

Keep out of reach of children

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Beaphar UK Ltd Rook Tree Farm Withersfield Road Great Wratting Suffolk CB9 7HD

16. MARKETING AUTHORISATION NUMBER

Vm 13907/4008

17. MANUFACTURER'S BATCH NUMBER

MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING UNITS {NATURE/TYPE}

45 ml bottle

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Beaphar Worming Syrup, 9.4% w/v, oral solution

2. QUANTITY OF THE ACTIVE SUBSTANCE(S)

Oral solution containing piperazine citrate 9.4% w/v.

3. CONTENTS BY WEIGHT, BY VOLUME OR BY NUMBER OF DOSES

45 ml

4. ROUTE(S) OF ADMINISTRATION

5. WITHDRAWAL PERIOD

N/A

6. BATCH NUMBER

Batch

7. EXPIRY DATE

Expiry end

8. THE WORDS "FOR ANIMAL TREATMENT ONLY"

For animal treatment only

KEEP OUT OF REACH OF CHILDREN.

Keep this bottle in the outer carton and retain the enclosure leaflet for future reference.

Do not store above 25 °C.

PACKAGE LEAFLET FOR:

Beaphar Worming Syrup, 9.4% w/v, oral solution

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

Beaphar UK Ltd Rook Tree Farm Withersfield Road Great Wratting Suffolk CB9 7HD

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Beaphar Worming Syrup, 9.4% w/v, oral solution

3. STATEMENT OF THE ACTIVE SUBSTANCE (S) AND OTHER INGREDIENTS

Oral solution containing piperazine citrate 9.4% w/v

4. INDICATION(S)

For the treatment of roundworms in puppies and kittens

5. CONTRAINDICATIONS

Do not exceed the stated dose.

Do not repeat treatment if vomiting occurs shortly after dosing.

6. ADVERSE REACTIONS

During post-marketing surveillance, transient gastrointestinal signs (emesis and diarrhoea) have been observed very rarely.

The frequency of adverse reactions is defined using the following convention:

- very common (more than 1 in 10 animals treated displaying adverse reaction(s))
- common (more than 1 but less than 10 animals in 100 animals treated)
- uncommon (more than 1 but less than 10 animals in 1,000 animals treated)
- rare (more than 1 but less than 10 animals in 10,000 animals treated)
- very rare (less than 1 animal in 10,000 animals treated, including isolated reports).

7. TARGET SPECIES

Dogs and Cats

8. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

Directions for using Beaphar Worming Syrup:

Shake the bottle well before opening. Remove the lid and fit the pump dispenser. This works in the same way as a liquid soap dispenser, but will deliver a measured volume of Worming Syrup to give your pet an accurate dose. The number of "pumps" will depend on the weight of your pet. Turn pump dispenser to open. Before you try to give the correct dose to your pet, first prime the pump dispenser by slowly depressing the plunger 5 times.

The pump is then ready to use. From now on, each depression of the plunger will give enough Worming Syrup for every 0.9 kg that your pet weighs. You can weigh your pet by standing on your own bathroom scales, remembering the weight, and then weighing yourself again whilst holding your pet in your arms. Your pet's weight is the difference between the two. The following table provides a guide to how many "pumps" of Worming Syrup your pet requires to worm him/her properly:

Pet's weight (kg)	No. pumps required	Dosing (ml)
Up to 0.9	1	1.1
0.91 - 1.8	2	2.2
1.81 - 2.7	3	3.3
2.71 - 3.6	4	4.4
3.61 - 4.5	5	5.5
4.51 - 5.4	6	6.6

You may prefer to give your pet their syrup by applying it into the corner of their mouth, being careful not to spill or allow any to dribble out, or by mixing it with a little food. The remainder of the meal should be given afterwards to ensure that all the syrup has been taken. Alternatively, mix the syrup with a little milk.

9. ADVICE ON CORRECT ADMINISTRATION

Consult a Veterinary Surgeon before treating pregnant animals or those with a history of epilepsy or severe renal disfunction.

If signs of disease persist or appear, consult a Veterinary Surgeon.

Treatment of puppies or kittens

All puppies and kittens should be treated at two weeks of age. To ensure continued removal of developing worms, and those obtained by reinfection through their mothers milk or from eggs in the environment, treatment should be repeated at 4, 6, 8, 10 and 12 weeks of age. Thereafter, they can be treated routinely at two to three monthly intervals (which is the same as adult dogs and cats).

10. WITHDRAWAL PERIOD(S)

11. SPECIAL STORAGE PRECAUTIONS

The following statement should be included if there is an in-use shelf life (example: solution for injection)]

Do not store above 25°C. Keep container in outer carton.

12. SPECIAL WARNING(S)

For Animal Treatment Only

Do not exceed the stated dose.

Following accidental skin or eye contact, wash the affected area with plenty of water. If irritation persists, seek medical advice. Following accidental ingestion, drink plenty of water and seek medical attention. Wash hands after use.

13. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCT OR WASTE MATERIALS, IF ANY

Dispose of used packaging and any remaining product in the household refuse.

14. DATE ON WHICH THE PACKAGE LEAFLET WAS LAST APPROVED

February 2022

15. OTHER INFORMATION

AVM-GSL

Vm 13907/4008

Approved: 16 March 2022