

**MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO PACKAGE LEAFLET, E.g. Concertina Labels. {Hanging card}**

**1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT**

Mr H I Moulds and Mrs S J Moulds

10 Brown Moor Road

Stamford Bridge

York

YO41 1PG

**2. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Armitage Pet Care Flea and Tick Drops for Dogs 702 mg Spot-on Solution

**3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS**

Each containing 702 mg of permethrin 25:75 Cis:Trans in 1.5 ml of solution.

**4. PHARMACEUTICAL FORM**

Spot on solution

**5. PACKAGE SIZE**

Small dogs and puppies: Contains 3 ampoules

Large dogs: Contains 6 ampoules

**6. INDICATION(S)**

For the control of flea and tick infestations on dogs for a period of up to 4 weeks.

**7. CONTRAINDICATIONS**

Do not use on cats. Extremely poisonous to cats. It is important that cats do not come into contact with this product as it could kill them. To prevent cats from being exposed to the product keep treated dogs away from cats for 72 hours after the treatment. Ensure that cats do not groom the site of application on a dog. Seek veterinary advice immediately if this occurs.

Do not use on puppies under 2 weeks of age or nursing bitches from which fleas can be removed by careful use of a flea comb.

## **8. ADVERSE REACTIONS**

After use examine the site of application periodically as occasionally a sensitive animal may experience localised skin irritation, in which case bathe the dog with a mild non-insecticidal shampoo.

If symptoms persist or the dog becomes unwell, consult a veterinary surgeon, taking this pack and if possible the ampoule.

## **9. TARGET SPECIES**

Dogs

## **10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION**

Twist off cap, holding the ampoule upright (picture). Do not squeeze the ampoule during opening. Squeeze the ampoule firmly during application to ensure all the contents are expelled.

Repeat each treatment after 4 weeks (28 days)

*Small dogs and puppies ONLY: For dogs weighing up to 15kg (33lb): - Use one ampoule only. Part the dog's coat to expose the skin between the shoulder blades, at the nape of the neck. Squeeze the entire contents of one vial onto the exposed skin.*

*Large dogs ONLY: For dogs weighing over 15kg (33 lb or more): - Use two ampoules. Part the dog's coat to expose the skin between the shoulder blades, at the nape of the neck. Squeeze the entire contents of one vial onto the exposed skin. Additionally part the coat on your dog's back near the base of tail and apply the entire contents of second vial.*

## **11. ADVICE ON CORRECT ADMINISTRATION**

Do not massage the drops into skin. Avoid applying to fur.

Do not use any other flea control products to your dog during the four week period of protection. Do not apply drops if other flea and tick control products are being used on the dog. Do not reapply drops within 7 days of application.

## **12. WITHDRAWAL PERIOD**

N/A

## **13. SPECIAL STORAGE PRECAUTIONS**

Keep away from food and drink, including animal feeding stuffs

Do not store above 25°C.

Protect from direct sunlight.

Do not freeze (or refrigerate).

Do not remove the vial from the pack until ready to use.

#### **14. SPECIAL WARNING(S)**

Avoid the drops coming into contact with your fingers.

Avoid contact with skin and eyes.

Wash off any splashes immediately with plenty of clean water.

Wash your hands with soap and water after applying the drops.

In case of accidental eye contact, rinse with clean, fresh water. If eye irritation persists, seek medical advice.

Users making multiple applications, such as in kennels, should wear protective gloves (neoprene or nitrile, 0.3mm minimum thickness).

If you feel unwell as a result of handling this product, you should see your Doctor.

Treated animals should not be allowed to play or sleep with people, particularly children, for 8 hours immediately following treatment.

Do not handle the area of application for 6 hours following treatment

Do not use if your dog is sick or recovering from an illness.

**IMPORTANT: DO NOT USE ON CATS, THIS PRODUCT IS EXTREMELY POISONOUS TO CATS.**

#### **15. EXPIRY DATE**

#### **16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY**

The product is extremely dangerous to fish, other aquatic life and reptiles.

Do not contaminate aquaria, ponds or other waterways with the product or packaging. Treated dogs should not be allowed to go swimming for 12 hours following treatment.

Dispose of empty packaging and any remaining product in the household refuse.

#### **17. DATE ON WHICH THE LABEL WAS LAST APPROVED**

#### **18. THE WORDS "FOR ANIMAL TREATMENT ONLY" AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE**

*[Distribution category]*

For animal treatment only

AVM- GSL
-------------

For external use only

**19. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”**

Keep out of the sight and reach of children

**20. MARKETING AUTHORISATION NUMBER(S)**

**Vm 20205/4003**

**21. MANUFACTURER’S BATCH NUMBER**

**22. OTHER INFORMATION**

Armitage pet care flea and tick drops for dogs can only be effective as part of a programme to eliminate fleas and their larvae from pets and their surroundings. For complete protection the animal’s basket, bedding and regular resting areas should be vacuumed regularly and treated periodically with a suitable insecticide. To effectively break the flea life cycle you must also regularly worm your pet as worms play host to fleas.

Read all instructions and precautions before use.

**Approved: 08/01/2018**

