PARTICULARS TO APPEAR ON THE OUTER PACKAGE

{BOX}

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Pet Shield Flea Screen Combo 67 mg/ 60.3 mg Spot-on Solution

2. STATEMENT OF ACTIVE SUBSTANCES

WHAT'S IN THIS PRODUCT?
Each 0.67 ml pipette contains:
Active substance:

Fipronil	67 mg
S-Methoprene	60.3 mg

3. PACKAGE SIZE

1 x 0.67 ml
3 x 0.67 ml
6 x0.67 ml

4. TARGET SPECIES

SMALL DOGS > 2-10 kg
Dogs weighing over 2 kg and up to 10 kg

Min. age 8 weeks or older

5. INDICATIONS

Kills fleas, ticks and lice
Prevents Flea Eggs Developing

FLEAS - 8 WEEKS PROTECTION
& from Flea Eggs, Larvae and Pupae Developing

TICKS – 4 WEEKS PROTECTION

WHAT DOES THIS PRODUCT DO?
Kills fleas (*Ctenocephalides spp.*) on treated dogs and prevents eggs laid by exposed fleas from developing for up to 8 weeks. Kills ticks (*Ixodes ricinus, Dermacentor variabilis, Dermacentor reticulatus, Rhipicephalus sanguineus*) on treated dogs for up to 4 weeks. Treats infestations with biting lice (*Trichodectes canis*).

6. ROUTE(S) OF ADMINISTRATION

how to use



1. Hold the pipette upright, twist & pull the cap off.
2. Reverse the cap & use the lid to break the seal on the pipette
3. Expose the skin by parting the coat at the base of the neck in front of the shoulder blades.
4. Apply the pipette tip to the skin and fully empty its contents in one spot by squeezing it multiple times.

HOW DO I USE THIS PRODUCT?
Before use, read the package leaflet for full instructions and all warnings, including user warnings. Do not reapply more often than at four weekly intervals. It is important to make sure that the product is applied to an area where the animal cannot lick it off and to make sure that animals do not lick each other following treatment.

7. WITHDRAWAL PERIODS

8. EXPIRY DATE

Exp. {mm/yyyy}

9. SPECIAL STORAGE PRECAUTIONS

HOW SHOULD I STORE THE PRODUCT
Store in the original package in order to protect from light and moisture.

10. THE WORDS “READ THE PACKAGE LEAFLET BEFORE USE”

Read the package leaflet before use.

IS THIS PRODUCT SUITABLE FOR MY DOG?
Only use Pet Shield Flea Screen Combo if your dog is aged 8 weeks or older, and weighs more than 2 kg. Do not use if your dog is sick or recovering from an illness. Do not use if your dog has a hypersensitivity to fipronil or S-methoprene or the other ingredients. Do not apply on wounds or damaged skin. Do not use on cats. Do not use in rabbits, as adverse reactions including death, can occur.

USER SAFETY- Please read before every use.
This veterinary medicinal product can cause mucous membrane, skin and eye irritation. Therefore, contact of the veterinary medicinal product with mouth, skin and eyes should be avoided.
People with a known hypersensitivity (allergy) to fipronil, S-methoprene or alcohol should avoid contact with the veterinary medicinal product. Avoid contents coming into contact with the fingers. If this occurs, wash hands with soap and water. After accidental ocular exposure the eye should be rinsed carefully in clean water. In case of accidental ingestion, seek medical advice immediately and show the package leaflet or the label to the physician.
Wash hands after use. Do not smoke, drink or eat during application.

Treated animals should not be handled until the application site is dry, and children should not be allowed to play with treated animals until the application site is dry. It is therefore recommended that animals are not treated during the day, but should be treated during the early evening, and that recently treated animals are not allowed to sleep with owners, especially children.
Keep pipettes in original packaging until ready to use.

ENVIRONMENTAL SAFETY
As fipronil and S-methoprene may adversely affect aquatic organisms, dogs should not be allowed to swim in watercourses for 2 days after treatment.

11. THE WORDS “FOR ANIMAL TREATMENT ONLY”

For animal treatment only.

12. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the sight and reach of children.

13. NAME OF THE MARKETING AUTHORISATION HOLDER

KRKA

Local representative:
KRKA UK Ltd
United Kingdom
Tel: 02071 646 156
E mail: info.uk@krka.biz

14. MARKETING AUTHORISATION NUMBER

Vm 01656/4125

15. BATCH NUMBER

Lot {number}

MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING UNITS

{ BAG }

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Pet Shield Flea Screen Combo

SMALL DOGS > 2-10 kg

2. QUANTITATIVE PARTICULARS OF THE ACTIVE SUBSTANCES

Fipronil/ S-Methoprene
67 mg/ 60.3 mg

3. BATCH NUMBER

Lot {number}

4. EXPIRY DATE

Exp. {mm/yyyy}

How to use
Spot-on use

FLEAS
FLEA EGGS & LARVAE
TICKS
LICE

KRKA

MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING UNITS

{ PIPETTE }

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Pet Shield Flea Screen Combo

2. QUANTITATIVE PARTICULARS OF THE ACTIVE SUBSTANCES

> 2-10 kg

3. BATCH NUMBER

Lot {number}

4. EXPIRY DATE

Exp. {mm/yyyy}

KRKA

PARTICULARS TO APPEAR ON THE PACKAGE LEAFLET:

PACKAGE LEAFLET

READ THIS INFORMATION CAREFULLY BEFORE EACH USE. KEEP THIS LEAFLET IN THE OUTER CARTON FOR FUTURE REFERENCE.

1. Name of the veterinary medicinal product

Pet Shield Flea Screen Combo 67 mg/60.3 mg Spot-on Solution Small Dogs
Pet Shield Flea Screen Combo 134 mg/120.6 mg Spot-on Solution Medium Dogs
Pet Shield Flea Screen Combo 268 mg/241.2 mg Spot-on Solution Large Dogs
Pet Shield Flea Screen Combo 402 mg/361.8 mg Spot-on Solution Extra Large Dogs

2. Composition

What size of Pet Shield Flea Screen Combo should be used?
Weigh the dog accurately before using the product to ensure the correct tube is used.

Dog weight (kg)	**Pet Shield Flea Screen Combo**	**Treatment**	**Contents**			
			Active substance		Other ingredients	
			Amount of fipronil	Amount of S-Methoprene	Butylhydroxyanisole (E320)	Butylhydroxytoluene (E321)
Over 2 – 10	67 mg for small dogs	1 tube of 0.67 ml	67 mg	60.30 mg	0.134 mg	0.067 mg
Over 10 – 20	134 mg for medium dogs	1 tube of 1.34 ml	134 mg	120.60 mg	0.27 mg	0.13 mg
Over 20 – 40	268 mg for large dogs	1 tube of 2.68 ml	268 mg	241.20 mg	0.54 mg	0.27 mg
Over 40 – 60	402 mg for extra large dogs	1 tube of 4.02 ml	402 mg	361.80 mg	0.80 mg	0.40 mg

Clear, yellow solution.

3. Target species

Dogs.

4. Indications for use

What is Pet Shield Flea Screen Combo for?
Pet Shield Flea Screen Combo spot-on solution for dogs is used against fleas *Ctenocephalides* spp. (including their eggs and juvenile forms), and/or ticks (*Ixodes ricinus, Dermacentor reticulatus Dermacentor variabilis, Rhipicephalus sanguineus*) and/or biting lice (*Trichodectes canis*) on dogs.
Efficacy against fleas and their multiplication lasts for up to 8 weeks. Efficacy against ticks lasts for up to 4 weeks.

5. Contraindications

Animal safety with Pet Shield Flea Screen Combo
Do not use on puppies less than 8 weeks old.
Do not use on rabbits as adverse reactions, including death, could occur.
Do not use on sick or convalescent animals.
Do not use if your dog has an allergy to fipronil, S-methoprene or the other ingredients.
Do not use in any other animal species, including cats and ferrets.
Do not apply on wounds or damaged skin.
Avoid contact with your dog's eyes. If this occurs, immediately and thoroughly flush with water. If necessary, speak to your veterinary surgeon for advice.
Can be used in pregnant and nursing dogs.
Speak to your veterinary surgeon if you notice any adverse effects following the use of Pet Shield Flea Screen Combo, even those not already listed in the package leaflet or you think that the medicine has not worked.

6. Special warnings

User safety with Pet Shield Flea Screen Combo
PLEASE READ THESE WARNINGS BEFORE EACH USE
This veterinary medicinal product can cause mucous membrane, skin and eye irritation. Avoid getting the veterinary medicinal product on your skin, or in your mouth and eyes.
People with a known hypersensitivity (allergy) to fipronil, S-methoprene or alcohol should avoid contact with the veterinary medicinal product.
Avoid contents coming into contact with the fingers. If this occurs, wash hands with soap and water.
If the veterinary medicinal product gets in your eyes, immediately and thoroughly flush the eyes with water.
In case of accidental ingestion, seek medical advice immediately and show the package leaflet or the label to the physician.
Wash hands after use.
Do not smoke, drink or eat during application.
Treated animals should not be handled until the application site is dry, and children should not be allowed to play with treated animals until the application site is dry. It is therefore recommended that animals are not treated during the day, but should be treated during the early evening, and that recently treated animals are not allowed to sleep with owners, especially children.
Keep pipettes in original packaging until ready to use.

Special precautions for the protection of the environment:
Dogs should not be allowed to swim in watercourses for 2 days after application.

Should I use anything else with Pet Shield Flea Screen Combo?
When treating infestations of parasites, all in-contact animals should be treated with an appropriate veterinary medicinal product at the same time. Fleas from pets often infest the animal's basket, bedding and regular resting areas such as carpets and soft furnishings which should be treated, in case of massive infestation and at the beginning of the control measures, with a suitable insecticide and vacuumed regularly.
Do not use simultaneously with other flea products which are applied directly on to the animal.

7. Adverse events

Dogs:

Very rare (<1 animal / 10,000 animals treated, including isolated reports):	Application site disorders (skin discolouration, local hair loss, itching, reddening) Skin and appendages disorders (itching, hair loss)
Undetermined frequency (cannot be estimated from the available data)	Digestive tract disorders (hypersalivation[1], vomiting) Neurological disorders (increased sensitivity to stimulation, depression, other nervous signs)[2] Respiratory tract disorders

[1]May be observed in the case of licking the administration site, also (mainly due to the nature of the carrier).
[2]Reversible.

Bathing/immersion in water within 2 days after application of the veterinary medicinal product and more frequent bathing than once a week should be avoided.
Emollient shampoos can be used prior to treatment, but reduce the duration of protection against fleas to approximately 5 weeks when used weekly after application of the veterinary medicinal product. Weekly bathing with a 2% chlorhexidine medicated shampoo did not affect efficacy against fleas during a 6 week long study.

There may be an attachment of a few ticks. For this reason a transmission of infectious diseases cannot be completely excluded if conditions are unfavourable.

Reporting adverse events is important. It allows continuous safety monitoring of a product. If you notice any side effects, even those not already listed in this package leaflet, or you think that the medicine has not worked, please contact, in the first instance, your veterinarian. You can also report any adverse events to the marketing authorisation holder or the local representative of the marketing authorisation holder using the contact details at the end of this leaflet, or via your national reporting system at:
E-mail: adverse.events@vmd.gov.uk

Website: https://www.gov.uk/report-veterinary-medicine-problem/animal-reacts-medicine

8. Dosage for each species, routes and method of administration

How often should I use Pet Shield Flea Screen Combo?
Always leave a minimum period of 4 weeks between treatments. Adult fleas are killed for up to 8 weeks and ticks are killed for up to 4 weeks. When a continued risk of flea infestation is anticipated the treatment can be repeated every 8 weeks or, when there is also a risk of tick infestation, the treatment can be repeated every 4 weeks.

9. Advice on correct administration

How do I use Pet Shield Flea Screen Combo?
Animals should be weighed accurately prior to treatment.
One tube should be given to each dog, applied to the skin as shown below.



1. Remove the pipette from its packaging. Hold the pipette in an upright position, twist and pull the cap off.
2. Turn the cap around and place the other end of the cap back on the pipette. Push and twist the cap to break the seal, then remove the cap from the pipette.
3. Part the coat on the back of the animal at the base of the neck in front of the shoulder blades until the skin is visible.
4. Place the tip of the pipette onto the skin and squeeze the pipette several times to empty its contents completely and directly onto the skin in one spot.

10. Withdrawal periods

Not applicable.

11. Special storage precautions

General precautions for Pet Shield Flea Screen Combo
Keep out of the sight and reach of children.
Do not use this veterinary medicinal product after the expiry date which is stated on the label after Exp. The expiry date refers to the last day of that month.

How should Pet Shield Flea Screen Combo be stored?
This veterinary medicinal product does not require any special temperature storage conditions.
Store in the original package in order to protect from light and moisture.

12. Special precautions for disposal

How should Pet Shield Flea Screen Combo be disposed?

Medicines should not be disposed of via wastewater.

Use take-back schemes for the disposal of any unused veterinary medicinal product or waste materials derived thereof in accordance with local requirements and with any applicable national collection systems. These measures should help to protect the environment.

The veterinary medicinal product should not enter water courses as Fipronil and S-methoprene may be dangerous for fish and other aquatic organisms.

Do not contaminate ponds, waterways or ditches with the veterinary medicinal product or empty container.

Ask your veterinary surgeon or pharmacist how to dispose of medicines no longer required.

13. Classification of veterinary medicinal products

Veterinary medicinal product not subject to prescription.

14. Marketing authorisation numbers and pack sizes

Vm 01656/4125
Vm 01656/4126
Vm 01656/4127
Vm 01656/4128

Available in cartons containing 1, 3 or 6 pipetes.
Not all pack sizes may be marketed.

15. PID LINK (Do not print heading)

[The following statement must be included where reference to the European Union Product Database is included on the product information. This statement is relevant to both UK(GB) and UK(NI) products:]

Find more product information by searching for the ‘Product Information Database’ on www.gov.uk.

16. Contact details

Marketing authorisation holder and manufacturer for the batch release:
KRKA, d.d., Novo mesto
Šmarješka cesta 6
8501 Novo mesto
Slovenia

Local representatives and contact details to report suspected adverse reactions:
KRKA UK Ltd
United Kingdom
Tel: 02071 646 156
E mail: info.uk@krka.biz

For any information about this veterinary medicinal product, please contact the local representative of the marketing authorisation holder.

17. Other information

AVM-GSL

For animal treatment only.

Approved 26 June 2026
Gavin Hall