

PARTICULARS TO APPEAR ON THE OUTER PACKAGE

Cardboard box

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Butasal 100 mg/ml + 0,05 mg/ml Solution for Injection for Horses, Cattle, Dogs and Cats
butafosfan
cyanocobalamin (vitamin B12)

2. STATEMENT OF ACTIVE SUBSTANCES

1 ml contains:
Butafosfan 100.0 mg
Cyanocobalamin (vitamin B12) 0.05 mg

3. PHARMACEUTICAL FORM

Solution for injection.

4. PACKAGE SIZE

1x50 ml
1x100 ml
6x50 ml
6x100 ml

5. TARGET SPECIES



Horses, cattle, dogs, cats.

6. INDICATION(S)

7. METHOD AND ROUTE(S) OF ADMINISTRATION

Cattle, horses: for intravenous use.
Dogs, cats: for intravenous, intramuscular, subcutaneous use.
Read the package leaflet before use.

8. WITHDRAWAL PERIOD(S)

Withdrawal period:

Cattle, horses:

Meat and offal: zero days.

Milk: zero hours.

9. SPECIAL WARNING(S), IF NECESSARY

Read the package leaflet before use.

10. EXPIRY DATE

EXP:

Once broached: use within 28 days.

The cap may be safely punctured up to 15 times.

11. SPECIAL STORAGE CONDITIONS

Do not store above 25 °C.

Keep the vial in the outer carton in order to protect from light.

12. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of waste material in accordance with local requirements.

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

For animal treatment only.

To be supplied only on veterinary prescription. Administration by a veterinary surgeon or under their direct responsibility.

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the sight and reach of children.

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Interchemie Werken De Adelaar Eesti AS

Vanapere tee 14

Püünsi Village

Viimsi Rural Municipality

Harju county 74013

Estonia

16. MARKETING AUTHORISATION NUMBER

Vm 51467/4002

17. MANUFACTURER'S BATCH NUMBER

Batch number:

PARTICULARS TO APPEAR ON THE IMMEDIATE PACKAGE

50 ml, 100 ml amber glass vial

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Butasal 100 mg/ml + 0.05 mg/ml Solution for Injection for Horses, Cattle, Dogs and Cats
butafosfan
cyanocobalamin (vitamin B12)

2. STATEMENT OF ACTIVE SUBSTANCES

1 ml contains:
Butafosfan 100.0 mg
Cyanocobalamin (vitamin B12) 0.05 mg

3. PHARMACEUTICAL FORM

Solution for injection.

4. PACKAGE SIZE

50 ml
100 ml.

5. TARGET SPECIES



Horses, cattle, dogs, cats.

6. INDICATION(S)

7. METHOD AND ROUTE(S) OF ADMINISTRATION

Cattle, horses: for intravenous use.
Dogs, cats: for intravenous, intramuscular, subcutaneous use.
Read the package leaflet before use.

8. WITHDRAWAL PERIOD(S)

Withdrawal period:

Cattle, horses:

Meat and offal: zero days

Milk: zero hours

9. SPECIAL WARNING(S), IF NECESSARY

Read the package leaflet before use.

10. SPECIAL STORAGE CONDITIONS

EXP:

Once broached: use within 28 days. The cap may be safely punctured up to 15 times.

Once broached, use by: _____.

11. SPECIAL STORAGE CONDITIONS

Do not store above 25 °C.

Keep the vial in the outer carton in order to protect from light.

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of waste material in accordance with local requirements.

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

For animal treatment only.

To be supplied only on veterinary prescription. Administration by a veterinary surgeon or under their direct responsibility.

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the sight and reach of children.

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Interchemie Werken De Adelaar Eesti AS
Vanapere tee 14
Püünsi Village
Viimsi Rural Municipality
Harju county 74013
Estonia

16. MARKETING AUTHORISATION NUMBER

Vm 51467/4002

17. MANUFACTURER'S BATCH NUMBER

Batch number:

PACKAGE LEAFLET

Butasal-100, 100 mg/ml + 0,05 mg/ml solution for injection for horses, cattle, dogs and cats (EE)

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

Marketing authorisation holder and manufacturer responsible for batch release:

Interchemie Werken De Adelaar Eesti AS
Vanapere tee 14
Püünsi Village
Viimsi Rural Municipality
Harju county 74013
Estonia

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Butasal 100 mg/ml + 0,05 mg/ml Solution for Injection for Horses, Cattle, Dogs and Cats
butafosfan
cyanocobalamin (vitamin B12)

3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENT(S)

Each ml of the solution for injection contains:

Active substances:

Butafosfan	100.0 mg
Cyanocobalamin (vitamin B12)	0.05 mg

Excipients:

Benzyl alcohol (E1519)	10.5 mg
------------------------	---------

Clear red solution without visible particles.

4. INDICATION(S)

As supportive treatment of metabolic or reproductive disorders, when supplementation of phosphorous and cyanocobalamin is needed.

In case of peri-parturient (period immediately before and after calving) metabolic disorders, tetany (intermittent muscular spasms) and paresis (milk fever), the product should be administered in addition to magnesium and calcium, respectively.

5. CONTRAINDICATIONS

Do not use in cases of known hypersensitivity to the active substances or to any of the excipients.

6. ADVERSE REACTIONS

None known.

If you notice any side effects, even those not already listed in this package leaflet or you think that the medicine has not worked, please inform your veterinary surgeon.

Alternatively, you can report via your national reporting system: *To be completed in accordance with national requirements after conclusion of the MR phase.*

7. TARGET SPECIES

Horses, cattle, dogs and cats.

8. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

Route of administration:

Cattle, horses: for intravenous (i.v.) use

Dogs, cats: for intravenous (i.v.), intramuscular (i.m.), subcutaneous (s.c.) use

Dose:

Target species/ sub-category	Butafosfan (mg/kg)	Vitamin B12 (µg/kg)	The product (ml/kg)
Horses	2.0 – 5.0	1.0 – 2.5	0.02 – 0.05
Foals	3.3 – 5.6	1.65 – 2.8	0.033 – 0.056
Cattle	2.0– 5.0	1.0 – 2.5	0.02 – 0.05
Calves	3.3– 5.6	1.65 – 2.8	0.033 – 0.056
Dogs	2.5 – 25.0	1.25 – 12.5	0.025 – 0.25
Cats	10.0 – 50.0	5.0 – 25.0	0.1 – 0.5

Repeat once daily if necessary.

9. ADVICE ON CORRECT ADMINISTRATION

The cap may be safely punctured up to 15 times.

10. WITHDRAWAL PERIOD(S)

Cattle, horses:

Meat and offal: zero days

Milk: zero hours

11. SPECIAL STORAGE PRECAUTIONS

Keep out of the sight and reach of children.

Do not store above 25 °C.

Keep the vial in the outer carton in order to protect from light.

Do not use this veterinary medicinal product after the expiry date which is stated on the label. The expiry date refers to the last day of that month.

Shelf life after first opening the container: 28 days.

12. SPECIAL WARNING(S)

Special warnings for each target species:

It is recommended to determine the cause(s) of the metabolic or reproductive disorders to define the most appropriate measures of prevention and treatment and the need for a therapy with supplemental phosphorus and vitamin B12.

Special precautions for use in animals:

Due to a deficiency in glucuronidating metabolic pathways in cats, which are involved in benzyl alcohol metabolism, this veterinary medicinal product should be used with caution and the recommended dose should be strictly observed in this species.

Special precautions to be taken by the person administering the veterinary medicinal product to animals:

Benzyl alcohol may cause hypersensitivity (allergic reactions). People with known hypersensitivity to benzyl alcohol should avoid contact with the product.

The product can cause skin, eye or mucous membranes irritation. Dermal, mucous membranes and ocular exposure should therefore be avoided. In case of accidental dermal, mucous membranes or ocular exposure rinse the skin and/or the eye with water.

Do not eat, drink or smoke while handling this product.

Wash hands after use of the veterinary medicinal product.

Pregnancy and lactation:

The safety of the product has not been established in pregnant and lactating cows, mares, bitches and queens. However, its use during pregnancy and lactation in those species should not pose any particular problem.

13. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCT OR WASTE MATERIALS, IF ANY

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal product should be disposed of in accordance with local requirements. Ask your veterinary surgeon how to dispose of medicines no longer required. These measures should help to protect the environment.

15. PID LINK (Do not print heading)

[The following statement must be included where reference to the European Union Product Database is included on the product information. This statement is relevant to both UK(GB) and UK(NI) products:]

Find more product information by searching for the 'Product Information Database' on www.gov.uk.

15. OTHER INFORMATION

Package size:

Cardboard boxes of 1 vial of 50 mL or 100 mL

Cardboard box of 6 carton boxes of 1 vial of 50 mL or 100 mL

Not all pack sizes may be marketed.

Gavin Hall
Approved: 29 October 2024