

PARTICULARS TO APPEAR ON <THE IMMEDIATE PACKAGE>
{BLISTER CARD/Carton}

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Beaphar Flea and Tick Collar for Dogs, 15% w/w

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Each collar contains 15% w/w dimpylate (3.6 g dimpylate per collar)

3. PHARMACEUTICAL FORM

Collar

4. PACKAGE SIZE

1 collar

5. TARGET SPECIES

Dogs

6. INDICATION(S)

[Optional. In case of space restriction and if the indication is clear from the name of the product, the indication should not be repeated]

What does this collar do?

BEAPHAR FLEA & TICK COLLAR FOR DOGS is a water-resistant collar that will kill fleas and ticks and prevent further reinfestation for up to 4 months. Flea kill begins almost immediately, but it may take several days for the active ingredient to spread throughout the entire coat.

7. METHOD AND ROUTE(S) OF ADMINISTRATION

What size dog can this collar be used on?

The collar is 65cm long and will fit most dogs. If fitted to a fully grown dog, allow enough space for 2 fingers to be inserted between the collar and neck. If fitted to a growing dog, remember to loosen the collar as the dog gets bigger.

How do I fit the collar?

Simply slide the free end through the buckle, and tighten to give a comfortable fit. Cut off any excess collar with scissors and throw it away with your domestic rubbish.

What else can I do to prevent fleas?

Fleas spend three-quarters of their life cycle off your pet, in bedding, carpets, and soft furnishings. Treat these areas with a suitable household insecticide, and vacuum regularly.

For external use only.

8. WITHDRAWAL PERIOD

N/A

9. SPECIAL WARNING(S), IF NECESSARY

<User Warnings>

Is this collar suitable for my dog?

Do not use this collar if your dog is under 3 months old, is nursing puppies, or has been treated with other insecticides. Also, you should not use any other insecticide within 7 days of removal of the collar. If your dog develops any sign of skin irritation, or signs of drowsiness, listlessness, or respiratory difficulties soon after fitting the collar, take it off immediately. Fleas should be removed from young puppies and nursing females by careful use of a flea comb. If signs of disease persist or appear, consult your Veterinary Surgeon.

What precautions should I take myself?

Do not remove collar from pack until ready to use. Do not allow children to play with the collar. Do not allow children to suck or chew the collar. Do not smoke, eat or drink while handling collar. Do not sleep with pets wearing collars. Dimpylate / Diazinon is an organophosphorus compound: DO NOT handle if under medical advice not to work with ANTICHOLINESTERASES. Avoid excessive handling of the collar. Cut off any excess collar with scissors and dispose of safely. If you feel unwell after handling the collar, seek medical advice. Wash hands thoroughly after handling the collar.

10. EXPIRY DATE

EXP End: {month/year}

11. SPECIAL STORAGE CONDITIONS

What should I do with the collar before and after use?

Protect from direct sunlight. Do not store above 25°C. Do not remove the collar from the pack until you are ready to fit it.

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

After four months use, remove the collar and dispose of it with any remaining product/packaging in the household refuse.

This collar is EXTREMELY DANGEROUS to fish and aquatic life. Do not contaminate ponds, waterways or ditches with the collar or empty packaging.

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE [Distribution category]

For animal treatment only

AVM-GSL

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of reach of children

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Beaphar UK Limited
Rook Tree Farm
Withersfield Road, Great Wratting
Suffolk
CB9 7HD

Distributed by:

Beaphar (UK) Ltd, Rook Tree Farm, Withersfield Road, Great Wratting, Suffolk,
CB9 7HD

16. MARKETING AUTHORISATION NUMBER

Vm 13907/3004

17. MANUFACTURER’S BATCH NUMBER

MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING UNITS {Sachet}

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Beaphar Flea and Tick Collar for Dogs, 15% w/w

2. QUANTITY OF THE ACTIVE SUBSTANCE(S)

Each collar contains 15% w/w dimpylate (3.6 g dimpylate per collar)

3. CONTENTS BY WEIGHT, BY VOLUME OR BY NUMBER OF DOSES

1 collar

4. ROUTE(S) OF ADMINISTRATION

For external use only.

5. WITHDRAWAL PERIOD

Not applicable

6. BATCH NUMBER

7. EXPIRY DATE

8. THE WORDS "FOR ANIMAL TREATMENT ONLY"

Gavin Hall

Approved: 25 February 2025