

MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO PACKAGE LEAFLET, E.g. Concertina Labels. {NATURE/TYPE}

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

Shep-Fair Products Ltd
Unit 4
Wonastow Industrial Estate West
Monmouth
NP25 5JA

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Golden Hoof 100% w/w Powder for Cutaneous Solution

3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS

Zinc sulphate

Zinc Sulphate Hexahydrate $ZnSO_4 \cdot 6H_2O$

4. PHARMACEUTICAL FORM

Soluble powder for use in a footbath for sheep

5. PACKAGE SIZE

6. INDICATION(S)

Produces a safe, stable solution for the control and healing of footrot and footscald.

7. CONTRAINDICATIONS

8. ADVERSE REACTIONS

9. TARGET SPECIES

10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

Golden Hoof Zinc Sulphate is supplied in 20 kg and 10 kg bags for use at a concentration of 10% in water. i.e. 1kg per 10 litres or 1 lb per 1 gallon.

Determine the volume of water required to provide sufficient depth to allow complete immersion of the feet and mix accordingly. Golden Hoof dissolves easily in cold water and it is suggested that this is done in a bucket of water before adding to the bulk of the volume of water in the bath. Any additional topping up should be carried out with a 10% solution.

Secure bag tightly after use.

11. ADVICE ON CORRECT ADMINISTRATION

For external use only

Footbathing procedure:

Bath entry and exit points should be clean. Remove any debris from bath (e.g wool)

All animals in a group should be treated.

Badly infected feet should be sparingly and carefully pared to expose infected tissue before footbathing. Paring equipment should be disinfected between each animal being treated.

For maintenance treatment at times of high risk and for the treatment of footscald sheep should stand in the footbath solution for a minimum of 2 minutes.

For the treatment of footrot separate out infected animals and stand in the solution for up to 30 minutes.

Animals should be allowed sufficient time (minimum of 15 minutes) for drying, on concrete or grating, before returning to grass (preferably rested from sheep for at least two weeks)

Repeat treatment at 7 day intervals to bring the infection under control (minimum of three weeks) and thereafter at 1 – 2 weeks intervals during period when infection is likely to spread.

If treatment with the product should fail, then it is advisable to reconsider the cause of the condition, especially if Contagious Ovine Digital Dermatitis could be a complicating factor.

Although unpalatable, care must be taken to ensure sheep do not drink the solution. Drinking water should be made available in order to prevent animals from drinking the solution in cases of extreme thirst

12. WITHDRAWAL PERIOD

Meat: Zero days

Milk: Zero hours

13. SPECIAL STORAGE PRECAUTIONS

Store in a dry space. Close the bag tightly after use.

14. SPECIAL WARNING(S)

Wear Wellington boots and rubber gloves when handling the solid or solution. Wash splashes from the eyes immediately with clean water. Wash hands and exposed skin before meals and after work.

15. EXPIRY DATE

16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Do not contaminate water including ponds, ditches, ground and surface waters. Should it be necessary to dispose of unused solution, contact your nearest Environment Agency for advice.

17. DATE ON WHICH THE LABEL WAS LAST APPROVED

18. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

[Distribution category]

For animal treatment only.

AVM- GSL

19. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the sight and reach of children

20. MARKETING AUTHORISATION NUMBER(S)

Vm 06077/4000

21. MANUFACTURER’S BATCH NUMBER

Approved: 04/01/2018

